

=> fil hcap
FILE 'HCAPLUS' ENTERED AT 10:56:46 ON 20 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 20 Nov 2007 VOL 147 ISS 22
FILE LAST UPDATED: 19 Nov 2007 (20071119/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.


This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d que 143


L4	16 SEA FILE=REGISTRY ABB=ON PLU=ON (104-76-7/B1 OR 108-95-2/B1 OR 115-86-6/B1 OR 1241-94-7/B1 OR 16368-97-1/B1 OR 2524-64-3/B1 OR 25339-17-7/B1 OR 29761-21-5/B1 OR 51363-64-5/B1 OR 55053-61-7/B1 OR 72512-96-0/B1 OR 7647-01-0/B1 OR 770-12-7/B1 OR 7786-30-3/B1 OR 838-85-7/B1 OR 850415-34-8/B1)
L5	2 SEA FILE=REGISTRY ABB=ON PLU=ON L4 AND P/ELS AND CL/ELS
L7	1 SEA FILE=REGISTRY ABB=ON PLU=ON L5 AND NR>1
L8	1 SEA FILE=REGISTRY ABB=ON PLU=ON L5 NOT L7
L9	1121 SEA FILE=CAPLUS ABB=ON PLU=ON L7(L)RACT+NT/RL
L10	491 SEA FILE=CAPLUS ABB=ON PLU=ON L8(L)RACT+NT/RL
L11	69 SEA FILE=CAPLUS ABB=ON PLU=ON L9 AND L10
L16	4 SEA FILE=CAPLUS ABB=ON PLU=ON L11 AND LEWIS?
L17	226154 SEA FILE=HCAPLUS ABB=ON PLU=ON ALCOHOLS+PFT,NT1/CT(L)RACT+NT/ RL
L18	23 SEA FILE=HCAPLUS ABB=ON PLU=ON L17 AND L11
L20	26 SEA FILE=HCAPLUS ABB=ON PLU=ON L16 OR L18
L21	11 SEA FILE=HCAPLUS ABB=ON PLU=ON L11 AND ?ALCOHOL?
L22	28 SEA FILE=HCAPLUS ABB=ON PLU=ON L20 OR L21
L24	12 SEA FILE=REGISTRY ABB=ON PLU=ON CL3OP/MF
L25	210 SEA FILE=REGISTRY ABB=ON PLU=ON C6H6O/MF
L26	73 SEA FILE=REGISTRY ABB=ON PLU=ON L25 AND C6/ES
L27	4179 SEA FILE=CAPLUS ABB=ON PLU=ON L24(L)RACT+NT/RL
L28	21759 SEA FILE=CAPLUS ABB=ON PLU=ON L26(L)RACT+NT/RL
L29	253 SEA FILE=CAPLUS ABB=ON PLU=ON L27 AND L28
L30	4 SEA FILE=REGISTRY ABB=ON PLU=ON C6H5CL2O2P/MF
L31	2 SEA FILE=REGISTRY ABB=ON PLU=ON L30 AND C6/ES
L37	3 SEA FILE=REGISTRY ABB=ON PLU=ON C12H10CLO3P/MF
L38	1 SEA FILE=REGISTRY ABB=ON PLU=ON L37 AND 2 C6/ES
L39	111 SEA FILE=CAPLUS ABB=ON PLU=ON L31(L)PREP+NT/RL
L40	122 SEA FILE=CAPLUS ABB=ON PLU=ON L38(L)PREP+NT/RL
L41	199 SEA FILE=CAPLUS ABB=ON PLU=ON L39 OR L40
L42	41 SEA FILE=CAPLUS ABB=ON PLU=ON L41 AND L29
L43	2 SEA FILE=HCAPLUS ABB=ON PLU=ON L22 AND L42

=> d 143 ibib abs hitind hitstr tot


L43 ANSWER 1 OF 2 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:599284 HCPLUS Full-text
 DOCUMENT NUMBER: 135:304577
 TITLE: Flame-retarding materials. II. Synthesis and
 flame-retarding properties of phosphorus-on-pendent
 and phosphorus-on-skeleton polyols and the
 corresponding polyurethanes
 AUTHOR(S): Wang, Tzong-Liu; Cho, Yu-Liang; Kuo, Ping-Lin
 CORPORATE SOURCE: Department of Chemical Engineering, National Kaohsiung
 Institute of Technology, Kaohsiung, 80782, Taiwan
 SOURCE: Journal of Applied Polymer Science (2001), 82(2),
 343-357
 CODEN: JAPNAB; ISSN: 0021-8995
 PUBLISHER: John Wiley & Sons, Inc.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB A phosphorus-on-skeleton compound was synthesized by reacting Ph dichloro
 phosphate with 2-hydroxyethyl methacrylate (HEMA). This monomer was then
 copolymd. with other acrylic monomers to form a hydroxy-containing copolymer,
 which was then used as the polyol in the synthesis of a polyurethane.
 Phosphorus-on-pendent copolymers and phosphorus-free copolymers and their
 corresponding polyurethanes were also prepared for comparison with the
 phosphorus-on-skeleton material in terms of their flame-retardant properties.
 The flame retardancy and degradation mechanism of these copolymers and
 polyurethanes were analyzed with thermogravimetric anal. (TGA) and IR
 spectroscopy. Although those phosphorus-on-skeleton copolymer polyol have
 less flame-retarding ability than that of the phosphorus-on-pendent copolymer
 polyol because of less phosphorus content, it was evident that the phosphorus-
 on-skeleton polyurethanes were more effective flame retardants than the
 phosphorus-on-pendent polyurethanes. This was attributed to the fact that the
 crosslinking arising from the phosphorus-on-skeleton copolymer polyols has a
 tremendous effect on the flame-retarding ability of the corresponding
 polyurethanes.
 CC 37-6 (Plastics Manufacture and Processing)
 IT 108-95-2, Phenol, reactions 868-77-9, 2-Hydroxyethyl
 methacrylate 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (monomer synthesis; synthesis and flame-retarding properties of
 phosphorus-on-pendent and phosphorus-on-skeleton polyols and the
 corresponding polyurethanes)
 IT 770-12-7P, Phenyl dichlorophosphate 2524-64-3P, Diphenyl
 chlorophosphate
 RL: RCT (Reactant); SPN (Synthetic preparation);
 PREP (Preparation); RACT (Reactant or reagent)
 (monomer synthesis; synthesis and flame-retarding properties of
 phosphorus-on-pendent and phosphorus-on-skeleton polyols and the
 corresponding polyurethanes)
 IT 108-95-2, Phenol, reactions 868-77-9, 2-Hydroxyethyl
 methacrylate 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (monomer synthesis; synthesis and flame-retarding properties of
 phosphorus-on-pendent and phosphorus-on-skeleton polyols and the
 corresponding polyurethanes)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)




RN 868-77-9 HCAPLUS
 CN 2-Propenoic acid, 2-methyl-, 2-hydroxyethyl ester (CA INDEX NAME)




RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



IT 770-12-7P, Phenyl dichlorophosphate 2524-64-3P, Diphenyl chlorophosphate
 RL: RCT (Reactant); SPN (Synthetic preparation);
 PREP (Preparation); RACT (Reactant or reagent)
 (monomer synthesis; synthesis and flame-retarding properties of
 phosphorus-on-pendent and phosphorus-on-skeleton polyols and the
 corresponding polyurethanes)
 RN 770-12-7 HCAPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCAPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




REFERENCE COUNT: 16 THERE ARE 16 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L43 ANSWER 2 OF 2 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1977:534581 HCPLUS Full-text
 DOCUMENT NUMBER: 87:134581
 ORIGINAL REFERENCE NO.: 87:21372h,21373a
 TITLE: Mixed phosphate ester compositions
 INVENTOR(S): Hardy, Donald, Sr.; Orwoll, Edward Francis
 PATENT ASSIGNEE(S): FMC Corp., USA
 SOURCE: U.S., 4 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE .	APPLICATION NO.	DATE
US 4034023	A	19770705	US 1975-574588	19750505
PRIORITY APPLN. INFO.:				
AB Mixed esters of Bu ₃ PO ₄ 12.0-13.7, Bu ₂ PhPO ₄ 69.2-73.7, and BuPh ₂ PO ₄ 14.3-18.4 weight% were prepared by reacting 1.0 mol POCl ₃ with 0.8-1.0 mol molten PhOH, then reacting the reaction mixture, which contained PhOPCl ₂ O and (PhO) ₂ PCl ₂ O, with BuOH. The mixed esters are useful as hydraulic fluids, especially for use in aircraft.				
IC	C07F009-11			
INCL	260973000			
CC	25-10 (Noncondensed Aromatic Compounds)			
	Section cross-reference(s): 23, 51			
IT	770-12-7P 2524-64-3P			
	RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation and reaction with butanol)			
IT	10025-87-3			
	RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with phenol and butanol)			
IT	108-95-2, reactions			
	RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with phosphorus oxychloride)			
IT	71-36-3, reactions			
	RL: RCT (Reactant); RACT (Reactant or reagent) (reaction of, with phosphorus oxychloride, phenyl phosphorodichloridate and diphenyl phosphorochloridate)			
IT	770-12-7P 2524-64-3P			
	RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (preparation and reaction with butanol)			
RN	770-12-7 HCPLUS			
CN	Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)			




RN 2524-64-3 HCAPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol and butanol)
 RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphorus oxychloride)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)



IT 71-36-3, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphorus oxychloride, phenyl phosphorodichloride
 and diphenyl phosphorochloridate)
 RN 71-36-3 HCAPLUS
 CN 1-Butanol (CA INDEX NAME)



=> d que 146
 L4 16 SEA FILE=REGISTRY ABB=ON PLU=ON (104-76-7/BI OR 108-95-2/BI

OR 115-86-6/BI OR 1241-94-7/BI OR 16368-97-1/BI OR 2524-64-3/BI
 OR 25339-17-7/BI OR 29761-21-5/BI OR 51363-64-5/BI OR
 55053-61-7/BI OR 72512-96-0/BI OR 7647-01-0/BI OR 770-12-7/BI
 OR 7786-30-3/BI OR 838-85-7/BI OR 850415-34-8/BI)

L5 2 SEA FILE=REGISTRY ABB=ON PLU=ON L4 AND P/ELS AND CL/ELS
 L7 1 SEA FILE=REGISTRY ABB=ON PLU=ON L5 AND NR>1
 L8 1 SEA FILE=REGISTRY ABB=ON PLU=ON L5 NOT L7
 L9 1121 SEA FILE=CAPLUS ABB=ON PLU=ON L7(L) RACT+NT/RL
 L10 491 SEA FILE=CAPLUS ABB=ON PLU=ON L8(L) RACT+NT/RL
 L11 69 SEA FILE=CAPLUS ABB=ON PLU=ON L9 AND L10
 L16 4 SEA FILE=CAPLUS ABB=ON PLU=ON L11 AND LEWIS?
 L17 226154 SEA FILE=HCAPLUS ABB=ON PLU=ON ALCOHOLS+PFT, NT1/CT(L) RACT+NT/
 RL
 L18 23 SEA FILE=HCAPLUS ABB=ON PLU=ON L17 AND L11
 L20 26 SEA FILE=HCAPLUS ABB=ON PLU=ON L16 OR L18
 L21 11 SEA FILE=HCAPLUS ABB=ON PLU=ON L11 AND ?ALCOHOL?
 L22 28 SEA FILE=HCAPLUS ABB=ON PLU=ON L20 OR L21
 L24 12 SEA FILE=REGISTRY ABB=ON PLU=ON CL3OP/MF
 L25 210 SEA FILE=REGISTRY ABB=ON PLU=ON C6H6O/MF
 L26 73 SEA FILE=REGISTRY ABB=ON PLU=ON L25 AND C6/ES
 L27 4179 SEA FILE=CAPLUS ABB=ON PLU=ON L24(L) RACT+NT/RL
 L28 21759 SEA FILE=CAPLUS ABB=ON PLU=ON L26(L) RACT+NT/RL
 L29 253 SEA FILE=CAPLUS ABB=ON PLU=ON L27 AND L28
 L30 4 SEA FILE=REGISTRY ABB=ON PLU=ON C6H5CL2O2P/MF
 L31 2 SEA FILE=REGISTRY ABB=ON PLU=ON L30 AND C6/ES
 L37 3 SEA FILE=REGISTRY ABB=ON PLU=ON C12H10CLO3P/MF
 L38 1 SEA FILE=REGISTRY ABB=ON PLU=ON L37 AND 2 C6/ES
 L39 111 SEA FILE=CAPLUS ABB=ON PLU=ON L31(L) PREP+NT/RL
 L40 122 SEA FILE=CAPLUS ABB=ON PLU=ON L38(L) PREP+NT/RL
 L41 199 SEA FILE=CAPLUS ABB=ON PLU=ON L39 OR L40
 L42 41 SEA FILE=CAPLUS ABB=ON PLU=ON L41 AND L29
 L43 2 SEA FILE=HCAPLUS ABB=ON PLU=ON L22 AND L42
 L44 67 SEA FILE=HCAPLUS ABB=ON PLU=ON L22 OR L42
 L45 65 SEA FILE=HCAPLUS ABB=ON PLU=ON L44 NOT L43
 L46 59 SEA FILE=HCAPLUS ABB=ON PLU=ON L45 AND (PY<2004 OR PRY<2004
 OR AY<2004)

=> d 146 ibib abs hitind hitstr tot

L46 ANSWER 1 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2005:361851 HCAPLUS Full-text
 DOCUMENT NUMBER: 142:411485
 TITLE: Process for preparation of alkyl phenyl phosphates
 from phenyl chlorophosphates and aliphatic
 alcohols in presence of Lewis acids
 for use as plasticizers and flame retardants
 INVENTOR(S): De Kleine, Lambertus A.; Seifert, Juergen Klaus;
 Fedgenhaeuer, Horst
 PATENT ASSIGNEE(S): Akzo Nobel N. V., Neth.
 SOURCE: Eur. Pat. Appl., 17 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 1526137	A1	20050427	EP 2003-78364	20031024 <--

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
WO 2005040177 A1 20050506 WO 2004-EP52615 20041021 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
SN, TD, TG
EP 1685141 A1 20060802 EP 2004-817276 20041021 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK
CN 1902212 A 20070124 CN 2004-80038881 20041021 <--
IN 2006CN01817 A 20070608 IN 2006-CN1817 20060524 <--
PRIORITY APPLN. INFO.: EP 2003-78364 A 20031024 <--
WO 2004-EP52615 W 20041021

OTHER SOURCE(S): CASREACT 142:411485

AB Dialkyl monophenyl phosphate, monoalkyl di-Ph phosphate or their mixts. are prepared by reaction of monophenyl dichlorophosphate and/or di-Ph monochlorophosphate with an aliphatic alc. in the presence of a Lewis acid catalyst and in the absence of solvent at 40-200° and at a pressure of 0-1 bar. The mixts. of monoalkyl di-Ph phosphates and dialkyl monophenyl phosphates obtainable from the above process and the use of such mixts. as plasticizers and/or flame retardants (no data) are also claimed. In an example, treating 228.6 kg of a mixture containing 6.4 weight % PhOP(O)Cl₂, 89.7 weight % (PhO)₂P(O)Cl, 3.9 weight % (PhO)₃P(O) and about 0.1 weight % MgCl₂ with 118.1 kg 2-ethylhexanol over 3 h at 120° and 50 mm Hg followed by stirring an addnl. 4 h gave a mixture containing 86.4 weight % 2-ethylhexyl di-Ph phosphate, 7.1 weight % bis(2-ethylhexyl) Ph phosphate, 3.2 weight % (PhO)₃P(O), 2.3 weight % (PhO)₂P(O)OH and 1.3 weight % 2-ethylhexyl chloride.

IC ICM C07F009-09

ICS C07F009-11; C07F009-12

CC 29-7 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 37, 45

IT Alcohols, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(aliphatic; process for preparation of alkyl Ph phosphates from Ph chlorophosphates and aliphatic alc. in presence of Lewis acids as plasticizers and flame retardants)

IT Fireproofing agents

Plasticizers

(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alc. in presence of Lewis acids as plasticizers and flame retardants)

IT Lewis acids

RL: CAT (Catalyst use); USES (Uses)

(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alc. in presence of Lewis acids as plasticizers and flame retardants)

IT Phosphates, preparation

RL: IMF (Industrial manufacture); MOA (Modifier or additive use); SPN

(Synthetic preparation); PREP (Preparation); USES (Uses)

(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)

IT 838-85-7P, Diphenyl phosphate 55053-61-7P, Isodecyl chloride
RL: BYP (Byproduct); PREP (Preparation)
(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)

IT 7786-30-3, Magnesium chloride, uses
RL: CAT (Catalyst use); USES (Uses)
(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)

IT 1241-94-7P, 2-Ethylhexyl diphenyl phosphate 16368-97-1P,
Bis(2-ethylhexyl) phenyl phosphate 29761-21-5P, Isodecyl diphenyl
phosphate 51363-64-5P, Diisodecyl phenyl phosphate 72512-96-0P,
Isododecyl diphenyl phosphate 850415-34-8P
RL: IMF (Industrial manufacture); MOA (Modifier or additive use); SPN
(Synthetic preparation); PREP (Preparation); USES (Uses)
(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)

IT 115-86-6, Triphenyl phosphate
RL: NUU (Other use, unclassified); USES (Uses)
(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)

IT 104-76-7, 2-Ethylhexanol 108-95-2, Phenol, reactions
770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl
chlorophosphate 25339-17-7, Isodecyl alcohol
RL: RCT (Reactant); RACT (Reactant or reagent)
(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and

aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)

IT 7647-01-0, Hydrogen chloride, processes
RL: REM (Removal or disposal); PROC (Process)
(process for preparation of alkyl Ph phosphates from Ph chlorophosphates

and


aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)

IT 104-76-7, 2-Ethylhexanol 770-12-7, Phenyl
dichlorophosphate 2524-64-3, Diphenyl chlorophosphate
RL: RCT (Reactant); RACT (Reactant or reagent)
(process for preparation of alkyl Ph phosphates from Ph chlorophosphates


and

aliphatic alcs. in presence of Lewis acids as plasticizers and flame retardants)


RN 104-76-7 HCPLUS
CN 1-Hexanol, 2-ethyl- (CA INDEX NAME)



RN 770-12-7 HCAPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCAPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 2 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2005:121018 HCAPLUS Full-text
 DOCUMENT NUMBER: 142:199090
 TITLE: Reactive flame retardant and flame-retardant processed resin with good flame retardancy
 INVENTOR(S): Shigehara, Kiyotaka; Kanno, Toshiyuki; Onitsuka, Asuka; Yanase, Hironori
 PATENT ASSIGNEE(S): Fuji Electric Holdings Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 89 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005012415	A1	20050210	WO 2004-JP3160	20040311 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
WO 2005087852	A1	20050922	WO 2004-JP3207	20040311 <--


W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
 NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
 TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ,
 BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE,
 ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
 SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN,
 TD, TG

EP 1659148 A1 20060524 EP 2004-719605 20040311 <--

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK

PRIORITY APPLN. INFO.: JP 2003-285152 A 20030801 <--
 JP 2003-285156 A 20030801 <--
 JP 2003-285167 A 20030801 <--
 JP 2003-285173 A 20030801 <--
 WO 2004-JP3160 W 20040311

OTHER SOURCE(S): MARPAT 142:199090
 GI



AB The present invention relates to a reactive flame retardant which imparts excellent flame retardancy to resins even when added in a small amount and can be prevented from bleeding out and a flame-retardant processed resin obtained with the flame retardant. The reactive flame retardant is an organophosphorus compound I and has ≥ 1 unsatd. group at ends of R1 to R4 and X1 to X6, wherein R1, R2, R3, R4 = CH₂:CY₁ or (hetero atom-containing) monofunctional aromatic hydrocarbon; R5 = (hetero atom-containing) difunctional aromatic hydrocarbon; X1, X2, X3, X4 = O, NH, or (CH₂:CY₁Y₂)N; X5, X6 = NH or (CH₂:CY₁Y₂)N; Y₁ = H or methyl; Y₂ = C₁-5 alkylene or COOY₃; Y₃ = C₂-5 alkylene; ≥ 1 of X1, X2, X3, and X4 contains NH or (CH₂:CY₁Y₂)N; and ≥ 1 of R1, R2, R3, R4, X1, X2, X3, X4, X5, and X6 contains CH₂:CY₁Y₂. The flame-retardant processed resin is obtained by solidifying a resin composition containing this organophosphorus compound and then reacting the compound by heating or irradiation with a radiation. Thus, 61.3 g phosphorus oxychloride and 18.4 g benzidine were reacted, 34.2 g allylamine was added therein and reacted to give a reactive flame retardant, 10 parts of which was mixed with 2002B nylon 66 61.8, 03.JAFT2Ak25 silane-treated glass fiber 22, carbon black 1, Irganox 1010 0.2, and calcium carbonate 5 parts were kneaded at 280°, injection-molded at 280°, and irradiated with a γ -ray to give a test piece with flame retardancy (UL 94) V-0, no flame retardant bleed-out, and good dimensional stability.

IC ICM C08K005-52

ICS C08K005-5399; C09K021-12

CC 37-6 (Plastics Manufacture and Processing)

Section cross-reference(s): 38, 42, 76

IT 80-05-7, 2,2'-Bis(4-hydroxyphenyl)propane, reactions 80-08-0,
 Bis(p-aminophenyl)sulfone 80-09-1, Bis(4-hydroxyphenyl)sulfone

90-15-3, α -Naphthol 91-59-8, β -Naphthylamine
 92-87-5, Benzidine 92-88-6, 4,4'-Biphenol 101-77-9,
 Bis(4-aminophenyl)methane 101-80-4, 4,4'-Diaminodiphenyl ether
 107-11-9, Allylamine 107-18-6, Allyl alcohol,
 reactions 123-30-8, p-Hydroxyaniline 124-02-7, Diallylamine
 581-43-1, 2,6-Naphthalenediol 611-98-3, 4,4'-Diaminobenzophenone
 611-99-4, 4,4'-Dihydroxybenzophenone 620-92-8 770-12-7,
 Phenoxyphosphoryl dichloride 1745-81-9, o-Allylphenol 1965-09-9,
 Bis(4-hydroxyphenyl)ether 2243-67-6, 2,6-Diaminonaphthalene 2479-47-2,
 2,2-Bis(4-aminophenyl)propane 2524-64-3 6411-34-3,
 p-Allyloxyphenol 10025-87-3, Phosphorus oxychloride 16383-57-6
 22950-23-8, 1-Naphthylamine, N-allyl 48121-05-7 65653-79-4
 96203-99-5 400745-21-3 782503-95-1 835919-26-1 835919-27-2
 835919-28-3 835919-29-4

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of reactive flame retardants for flame-retardant resin
 compns.)


IT 90-15-3, α -Naphthol 107-18-6, Allyl
 alcohol, reactions 770-12-7, Phenoxyphosphoryl
 dichloride 2524-64-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(preparation of reactive flame retardants for flame-retardant resin
 compns.)


RN 90-15-3 HCPLUS

CN 1-Naphthalenol (CA INDEX NAME)




RN 107-18-6 HCPLUS

CN 2-Propen-1-ol (CA INDEX NAME)




RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 3 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2004:1018801 HCPLUS Full-text
 DOCUMENT NUMBER: 142:7923
 TITLE: Production of fire-resistant durable polyester fiber containing phosphoric amide and cyclic phosphonate
 INVENTOR(S): Shinozaki, Atsushi; Takeda, Masanobu; Seki, Masao; Masuda, Takeshi; Iwaki, Terufumi; Sasa, Katsuo
 PATENT ASSIGNEE(S): Toray Industries, Inc., Japan; Shikoku Chemicals Corp.; Daikyo Chemical Co., Ltd.
 SOURCE: Jpn. Kokai Tokkyo Koho, 27 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2004332187	A	20041125	JP 2004-115462	20040409 <--
PRIORITY APPLN. INFO.:			JP 2003-113809	A 20030418 <--

OTHER SOURCE(S): MARPAT 142:7923
 AB Title fire-resistant polyester fiber consists of: (A) at least one of phosphoric amides selected from 1,4-piperazinediylbis(diarylphosphonate), diarylaminophosphonate, aryldiaminophosphinate, and triaminophosphine oxide; and (B) cyclic phosphonate. Thus, a polyester fabric was impregnated in a composition containing 0.3% owf of Sumikaron Blue E-RPD (disperse dye), 17% owf of an aqueous solution containing anilinodiphenylphosphate, sodium dioctyl sulfosuccinate, silicone oil, and 7% owf of a aqueous solution containing a mixture of (5-ethyl-2-methyl-1,3,2-dioxaphosphorinan-5-yl)methyldimethylphosphonate-P-oxide and bis(5-ethyl-2-methyl-1,3,2-dioxaphosphorinan-5-yl)methylmethylphosphonate-P-oxide.


IC ICM D06M013-453
 ICS C09K021-12; D06M013-288; D06M101-32
 CC 40-9 (Textiles and Fibers)
 IT 770-12-7P, Phenylphosphoric dichloride
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (intermediate; production of fire-resistant durable polyester fiber containing

phosphoric amide and cyclic phosphonate)

IT 62-53-3, Aniline, reactions 108-95-2, Phenol, reactions 2524-64-3 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (starting materials; production of fire-resistant durable polyester fiber containing phosphoric amide and cyclic phosphonate)
 IT 770-12-7P, Phenylphosphoric dichloride
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)


(intermediate; production of fire-resistant durable polyester fiber containing phosphoric amide and cyclic phosphonate)

RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (starting materials; production of fire-resistant durable polyester fiber containing phosphoric amide and cyclic phosphonate)

RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 4 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2003:913171 HCPLUS Full-text
 DOCUMENT NUMBER: 139:381611
 TITLE: Preparation of neopentyl glycol bis(diarylphosphate) esters by continuous addition of neopentyl glycol to diaryl chlorophosphate at elevated temperature under vacuum
 INVENTOR(S): Bright, Danielle Angrand; Pirrelli, Ronald L.; Desikan, Ananthan Narayanan
 PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
 SOURCE: PCT Int. Appl., 11 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003095463	A1	20031120	WO 2003-US14146	20030506 <--
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
AU 2003228883	A1	20031111	AU 2003-228883	20030506 <--
GB 2405148	A	20050223	GB 2004-26067	20030506 <--
GB 2405148	B	20060823		
US 2006183932	A1	20060817	US 2004-513745	20041105 <--
US 7166736	B2	20070123		
PRIORITY APPLN. INFO.:			US 2002-378483P	P 20020507 <--
			WO 2003-US14146	W 20030506 <--

OTHER SOURCE(S): CASREACT 139:381611

AB Neopentyl glycol bis(di-Ph phosphate) liquid compns. are described that comprise from about 75% to about 90%, by weight, of neopentyl glycol bis(di-Ph phosphate), less than about 5% by weight of cyclic product, less than about 8% by weight of tri-Ph phosphate, and with a P3 content of no less than about 1%, by weight. These compns. are made by continuously adding neopentyl glycol to a diaryl chlorophosphate mixture at elevated temperature, under vacuum, and in the presence of a catalyst. Thus, MgCl₂ catalyzed reaction of di-Ph chlorophosphate, Ph dichlorophosphate, and tri-Ph phosphate with continuous addition of neopentyl glycol under vacuum at 120° gave 87% by weight neopentyl glycol bis(di-Ph phosphate) in 7 h.


IC ICM C07F009-09
ICS C07F009-12

CC 29-7 (Organometallic and Organometalloidal Compounds)
IT 115-86-6, Triphenyl phosphate 126-30-7, Neopentyl glycol 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl chlorophosphate


RL: RCT (Reactant); RACT (Reactant or reagent)
(magnesium chloride catalyzed preparation of neopentyl glycol bis(diarylpionate) esters by continuous addition of neopentyl glycol to diaryl chlorophosphate at elevated temperature under vacuum)

IT 126-30-7, Neopentyl glycol 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl chlorophosphate
RL: RCT (Reactant); RACT (Reactant or reagent)
(magnesium chloride catalyzed preparation of neopentyl glycol bis(diarylpionate) esters by continuous addition of neopentyl glycol to diaryl chlorophosphate at elevated temperature under vacuum)


RN 126-30-7 HCPLUS
CN 1,3-Propanediol, 2,2-dimethyl- (CA INDEX NAME)



RN 770-12-7 HCAPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCAPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 5 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2003:369028 HCAPLUS Full-text
 DOCUMENT NUMBER: 138:369730
 TITLE: Aromatic phosphate-based fireproofing agents for fire-resistant polymer compositions
 INVENTOR(S): Kimura, Ryoji; Murase, Hisashi; Kamimoto, Tetsuo; Hayashi, Kazuhiko; Ishikawa, Shinichi
 PATENT ASSIGNEE(S): Asahi Denka Kogyo K. K., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2003138143	A	20030514	JP 2001-341459	20011107 <--
CN 1504500	A	20040616	CN 2002-154705	20021129 <--
PRIORITY APPLN. INFO.:			JP 2001-341459	A 20011107 <--
OTHER SOURCE(S):	MARPAT	138:369730		

AB The fireproofing agent having color number (Gardner color test) ≤ 3 after heating at 300° for 20 min, comprises an aromatic phosphate obtained by esterification reacting a phosphorus oxyhalide, bisphenol A and phenol. Thus, 14 parts phosphate mixture of $(\text{PhO})_2\text{P}(:\text{O})[\text{O}-\text{p-C}_6\text{H}_4\text{C}(\text{CH}_3)_2-\text{p-C}_6\text{H}_4\text{O}\text{P}(:\text{O})(\text{OPh})]^n\text{OPh}$ 98.50% ($n = 1$, 96.0%; $n = 2$, 2.11%; and $n = 3$, 0.39%), tri-Ph phosphate 0.90%, and isopropenyldiphenyl phosphate 0.24% prepared from bisphenol A, phosphorus oxychloride and phenol 4.0 and 0.15 and bisphenol was blended with Iupilon E 2000F (polycarbonate) 80, Stylac 100 (ABS resin) 20, and Teflon 6J (PTFE) 0.1 parts, and injection molded to give a specimen showing UL 94 fire resistance rating V-0 and yellowing index 0.93.


IC ICM C08L101-00
 ICS C08K005-523
 CC 37-6 (Plastics Manufacture and Processing)
 IT 2524-64-3P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (aromatic phosphate-based fireproofing agents for fire-resistant polymer compns.)
 IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (aromatic phosphate-based fireproofing agents for fire-resistant polymer compns.)
 IT 2524-64-3P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (aromatic phosphate-based fireproofing agents for fire-resistant polymer compns.)
 RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (aromatic phosphate-based fireproofing agents for fire-resistant polymer compns.)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)




RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 6 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2002:868997 HCAPLUS Full-text
 DOCUMENT NUMBER: 137:353880
 TITLE: Naphthyl phosphate compounds for flame-retardant resin composition with good molding flowability and low mold contamination
 INVENTOR(S): Tamura, Kazunari; Otsuki, Shoichi; Tsuji, Yuji; Okawa, Takashi
 PATENT ASSIGNEE(S): Daihachi Chemical Industry Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 50 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002090439	A1	20021114	WO 2002-JP4188	20020425 <--
W: CN, JP, KR, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
JP 2003020399	A	20030124	JP 2001-278491	20010913 <--
PRIORITY APPLN. INFO.:			JP 2001-135247	A 20010502 <--
			JP 2001-319491	A 20011017 <--
OTHER SOURCE(S): GI	MARPAT	137:353880		




- AB Title flame-retardant resin composition comprises (A) thermoplastic or thermosetting resins containing no phenylene ether units and (B) flame-retardant naphthyl phosphate compds. represented by the general formula of I (n: 1 or 2; R: C1-4 alkyl; and m: integer of 0-3). Thus, 14 parts of 2-naphthyldiphenyl phosphate prepared were added to Novalloy S-1500 (polycarbonate/ABS alloy) 100 parts to give a resin composition showing Izod impact strength 66 kgf·cm/cm, thermal weight loss 1.3 wt%, and water resistance (MFR) 14.9 and 94.9 g/10 min for before and after adding water, resp.
- IC ICM C08L101-00
 ICS C08K005-523
- CC 37-6 (Plastics Manufacture and Processing)
 Section cross-reference(s): 38
- IT 90-15-3, 1-Naphthol 95-50-1, o-Dichlorobenzene 106-44-5,
 4-Methylphenol, reactions 108-39-4, 3-Methylphenol, reactions
 108-95-2, Phenol, reactions 135-19-3, 2-Naphthol, reactions
 576-26-1, 2,6-Dimethylphenol 770-12-7 2524-64-3,
 Diphenylphosphochloride 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of naphthyl phosphate compound for flame-retardant resin composition
 with good molding flowability and low mold contamination)

IT 90-15-3, 1-Naphthol 135-19-3, 2-Naphthol, reactions
 770-12-7 2524-64-3, Diphenylphosphochloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of naphthyl phosphate compound for flame-retardant resin
 composition
 with good molding flowability and low mold contamination)


RN 90-15-3 HCPLUS
 CN 1-Naphthalenol (CA INDEX NAME)




RN 135-19-3 HCPLUS
 CN 2-Naphthalenol (CA INDEX NAME)



RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



REFERENCE COUNT: 12 THERE ARE 12 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 7 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2002:514300 HCPLUS Full-text
 DOCUMENT NUMBER: 137:79683

TITLE: Preparation of disubstituted pentaerythritol diphosphates

INVENTOR(S): Monri, Akinori; Tanabe, Seiichi; Taketani, Yutaka

PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.

CODEN: JKXXAF


DOCUMENT TYPE: Patent

LANGUAGE: Japanese


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2002193986	A	20020710	JP 2000-397158	20001227 <--
PRIORITY APPLN. INFO.:			JP 2000-397158	20001227 <--
OTHER SOURCE(S):	MARPAT 137:79683			
GI				



- AB The diphosphate I [R = (un)substituted C6-15 aryl], useful as fireproofing agents for polymers, are prepared by (1) treating ROH (R = same as above) with an excess amount of POCl₂, preferably in the presence of MgCl₂, (2) removing POCl₂ from the reaction mixture containing ROPOCl₂ (II; R = same as above) until amount of POCl₃ becomes ≤5 mol% to II, and (3) reacting remaining liquid with pentaerythritol. A 100:5 blend of HIPS and I (R = Ph) (preparation given) was pelletized and injection-molded to give a test piece with UL-94 fire resistance rating V-2.
- IC ICM C07F009-6574
ICS C07B061-00
- CC 37-6 (Plastics Manufacture and Processing)
Section cross-reference(s): 29
- IT 770-12-7P
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(preparation of diaryl pentaerythritol diphosphates as fireproofing agents from phenols, POCl₃, and pentaerythritol)
- IT 108-95-2, Phenol, reactions 115-77-5, Pentaerythritol, reactions 10025-87-3, Phosphorus oxychloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of diaryl pentaerythritol diphosphates as fireproofing agents from phenols, POCl₃, and pentaerythritol)
- IT 770-12-7P
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(preparation of diaryl pentaerythritol diphosphates as fireproofing agents from phenols, POCl₃, and pentaerythritol)
- RN 770-12-7 HCAPLUS
CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride

RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of diaryl pentaerythritol diphosphates as fireproofing agents from phenols, POCl₃, and pentaerythritol)


RN 108-95-2 HCAPLUS

CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCAPLUS

CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 8 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:147752 HCAPLUS Full-text

DOCUMENT NUMBER: 136:201043

TITLE: Thermoplastic resin compositions containing phosphites and/or phosphonites with excellent thermal stability and recyclability

INVENTOR(S): Niide, Yoshikazu

PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 30 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2002060610	A	20020226	JP 2000-249436	20000821 <--
PRIORITY APPLN. INFO.:			JP 2000-249436	20000821 <--

OTHER SOURCE(S): MARPAT 136:201043

AB The compns. contain polymers containing 30-100% polycarbonates 100, phosphites and/or phosphonites 0.0005-1, and compds. selected from metal salts of

carbonic acid, sulfuric acid, chromic acid, and titanic acid, SiO₂, silicate salts, and metal oxides with pH 6-8.5 (as aqueous solns. or dispersions) 0.005-1 parts. Thus, a test piece manufactured from a 100:0.007:0.3 mixture of bisphenol A polycarbonate, Irgafos 168 [tris(2,4-di-tert-butyl) phosphite], and CR 60 (TiO₂, purity ≥95%, average particle size .apprx.0.2 μm) viscosity-average mol. weight decrease 200 and 400 after heating at 120° and 100% relative humidity for 24 and 48 h, resp.

IC ICM C08L069-00
 ICS C08K003-02; C08K003-18; C08K003-26; C08K003-30; C08K003-34;
 C08K003-36; C08K005-521; C08K005-524; C08K005-5317; C08L021-00;
 C08L083-04; C08L085-02; C08L101-00

CC 37-6 (Plastics Manufacture and Processing)


IT 770-12-7P, Phenyl dichlorophosphate
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent)
 (for fireproofing agent preparation; polycarbonate compns. containing phosphites
 and/or phosphonites with good thermal stability and recyclability)

IT 108-95-2, Phenol, reactions 2467-02-9, Bisphenol F
 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (for fireproofing agent preparation; polycarbonate compns. containing phosphites
 and/or phosphonites with good thermal stability and recyclability)

IT 770-12-7P, Phenyl dichlorophosphate
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent).
 (for fireproofing agent preparation; polycarbonate compns. containing phosphites
 and/or phosphonites with good thermal stability and recyclability)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (for fireproofing agent preparation; polycarbonate compns. containing phosphites
 and/or phosphonites with good thermal stability and recyclability)

RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 9 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:798233 HCAPLUS Full-text
 DOCUMENT NUMBER: 135:344286
 TITLE: Preparation of phosphoric acid triesters as flame retardants, plasticizers, or stabilizers
 INVENTOR(S): Onchi, Yoko; Takahashi, Ikuo
 PATENT ASSIGNEE(S): Daicel Chemical Industries, Ltd., Japan
 SOURCE: PCT Int. Appl., 86 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001081356	A1	20011101	WO 2001-JP3423	20010420 <--
W: CN, JP, KR, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR				
EP 1277758	A1	20030122	EP 2001-921971	20010420 <--
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY, TR				
CN 1597686	A	20050323	CN 2004-10068789	20010420 <--
TW 523520	B	20030311	TW 2001-90109890	20010425 <--
US 2003109736	A1	20030612	US 2001-18971	20011226 <--
US 6794528	B2	20040921		
PRIORITY APPLN. INFO.:			JP 2000-125777	A 20000426 <--
			JP 2000-125778	A 20000426 <--
			JP 2000-125779	A 20000426 <--
			JP 2000-247140	A 20000817 <--
			JP 2000-339664	A 20001107 <--
			CN 2001-801574	A3 20010420 <--
			WO 2001-JP3423	W 20010420 <--
OTHER SOURCE(S):	CASREACT 135:344286; MARPAT 135:344286			
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Phosphorus compds. represented by the following formula (I), (II), or (III) [wherein Z1, Z2, and Z3 each represents a cycloalkane ring, cycloalkene ring, polycyclic aliphatic hydrocarbon ring, or aromatic hydrocarbon ring; R represents halogeno, hydroxyl, carboxyl, halocarbonyl, alkyl, alkoxy, alkenyl, or aryl; A represents a polyvalent group corresponding to an alkane; Y1, Y2,

and Y3 each represents O, S, or NR1 (R1 is hydrogen or alkyl); p is an integer of 1 to 6; m is an integer of 0 to 2; n is an integer of 1 or larger; q is an integer of 0 to 5; p1 is 0 or 1; and n1 is an integer of 1 to 4] are prepared. These phosphorus compds. have excellent heat resistance and are useful as additives such as flame retardants, plasticizers, or stabilizers for hot-melt, thermal, or delayed tack adhesives, thermal transfer receptors, color photog. photosensitizers, melt-type inkjet ink, vibration absorbers, pencil cores, lubricants, heat transfer medium, and polymers (no data). Thus, 159.7 g di-Ph phosphorochloridate was added dropwise to a mixture of 40.1 g 1,3-adamantanediol and 235.1 g pyridine over a period of 30 min and the resulting mixture was stirred at 90° for 2.5 h to give, after workup, 71% 1,3-adamantanediol bis(diphenylphosphate).


- IC ICM C07F009-12
ICS C07F009-6574
- CC 25-22 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
Section cross-reference(s): 24, 28, 37
- IT 106-86-5 106-87-6, 4-Vinyl-1-cyclohexene diepoxide 278-74-0,
2,3-Epoxy norbornane 589-29-7, p-Xylene glycol 612-14-6,
o-Xylene glycol 626-18-6, 1,3-Benzenedimethanol 707-37-9,
3,5-Dimethyl-1-adamantanol 768-95-6, 1-Adamantanol
770-12-7, Phenyl phosphorodichloride 1679-51-2,
3-Cyclohexene-1-methanol 2094-72-6, Adamantane-1-carbonyl chloride
2524-64-3, Diphenyl phosphorochloridate 3293-90-1,
Bicyclo[2.2.1]heptane-2,5-dimethanol 5001-18-3, 1,3-Adamantanediol
5301-78-0 10347-01-0, 5,7-Dimethyl-1,3-adamantanediol 28132-01-6
29713-15-3, 1,3-Adamantanedicarbonyl dichloride 99181-50-7,
1,3,5-Adamantanetriol 211120-05-7 371158-57-5
RL: RCT (Réactant); RACT (Reactant or reagent)
(preparation of phosphoric acid triesters as flame retardants,
plasticizers,
or stabilizers)
- IT 589-29-7, p-Xylene glycol 768-95-6, 1-Adamantanol
770-12-7, Phenyl phosphorodichloride 2524-64-3,
Diphenyl phosphorochloridate
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of phosphoric acid triesters as flame retardants,
plasticizers,
or stabilizers)
- RN 589-29-7 HCPLUS
CN 1,4-Benzenedimethanol (CA INDEX NAME)




- RN 768-95-6 HCPLUS
CN Tricyclo[3.3.1.13,7]decan-1-ol (CA INDEX NAME)



RN 770-12-7 HCAPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCAPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



REFERENCE COUNT: 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 10 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:594795 HCAPLUS Full-text
 DOCUMENT NUMBER: 135:284879
 TITLE: Biosynthesis of the Phosphodiester Bond in Coenzyme F420 in the Methanarchaea
 AUTHOR(S): Graupner, Marion; White, Robert H.
 CORPORATE SOURCE: Department of Biochemistry, Virginia Polytechnic Institute and State University, Blacksburg, VA, 24061-0308, USA
 SOURCE: Biochemistry (2001), 40(36), 10859-10872
 CODEN: BICHAW; ISSN: 0006-2960
 PUBLISHER: American Chemical Society
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 135:284879
 AB The biochem. route for the formation of the phosphodiester bond in coenzyme F420, one of the methanogenic coenzymes, has been established in the methanarchaea *Methanosarcina thermophila* and *Methanococcus jannaschii*. The first step in the formation of this portion of the F420 structure is the GTP-dependent phosphorylation of L-lactate to 2-phospho-L-lactate and GDP. The 2-phospho-L-lactate represents a new natural product that was chemically identified in *Methanobacterium thermoautotrophicum*, *M. thermophila*, and *Mc. jannaschii*. Incubation of cell exts. of both *M. thermophila* and *Mc. jannaschii* with [hydroxy-180, carboxyl-180]lactate and GTP produced 2-phospho-L-lactate with the same 180 distribution as found in both the starting lactate and the lactate recovered from the incubation. These results indicate that the carboxyl oxygens are not involved in the phosphorylation reaction. Incubation of Sephadex G-25 purified cell exts. of *M. thermophila* or *Mc. jannaschii* with 7,8-didemethyl-8-hydroxy-5-deazariboflavin (Fo), 2-phospho-L-lactate, and GTP or ATP lead to the formation of F420-O (F420 with no glutamic acids). This transformation was shown to involve two steps: (i) the GTP- or

ATP-dependent activation of 2-phospho-L-lactate to either lactyl(2)diphospho-(5')guanosine (LPPG) or lactyl(2)diphospho-(5')adenosine (LPPA) and (ii) the reaction of the resulting LPPG or LPPA with Fo to form F420-0 with release of GMP or AMP. Attempts to identify LPPG or LPPA intermediates by incubation of cell exts. with L-[U-14C]lactate, [U-14C]2-phospho-L-lactate, or [8-3H]GTP were not successful owing to the instability of these compds. toward hydrolysis. Synthetically prepared LPPG and LPPA had half-lives of 10 min at 50° (at pH 7.0) and decomposed into GMP or AMP and 2-phospho-L-lactate via cyclic 2-phospho-L-lactate. No evidence for the functioning of the cyclic 2-phospho-L-lactate in the in vitro biosynthesis could be demonstrated. Incubation of cell exts. of *M. thermophila* or *Mc. jannaschii* with either LPPG or LPPA and Fo generated F420-0. In summary, this study demonstrates that the formation of the phosphodiester bond in coenzyme F420 follows a reaction scheme like that found in one of the steps of the DNA ligase reaction and in the biosynthesis of coenzyme B12 and phospholipids.

CC 7-3 (Enzymes)

Section cross-reference(s): 10

IT 108-18-9, Diisopropylamine 598-72-1, 2-Bromopropionic acid
770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl
chlorophosphate 10326-41-7, l-Lactic acid, reactions
27871-49-4, Methyl (S)-(-)lactate 56777-24-3, Benzyl L-lactate
RL: RCT (Reactant); RACT (Reactant or reagent)


(biosynthesis of phosphodiester bond in coenzyme F420 from
methanoarchaea may involve F420-0 as intermediate)

IT 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl
chlorophosphate 10326-41-7, l-Lactic acid, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)

(biosynthesis of phosphodiester bond in coenzyme F420 from
methanoarchaea may involve F420-0 as intermediate)


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS


CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



RN 10326-41-7 HCPLUS

CN Propanoic acid, 2-hydroxy-, (2R)- (CA INDEX NAME)


Absolute stereochemistry.



REFERENCE COUNT: 43 THERE ARE 43 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 11 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:589802 HCAPLUS Full-text
 DOCUMENT NUMBER: 135:167532
 TITLE: Fire-retardant and moldable rubber-modified styrene resin compositions
 INVENTOR(S): Tando, Kazushi; Yamanaka, Katsuhiro; Taketani, Yutaka
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 12 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001220485	A	20010814	JP 2000-30287 JP 2000-30287	20000208 <-- 20000208 <--
PRIORITY APPLN. INFO.:				
OTHER SOURCE(S):	MARPAT	135:167532		
GI				



AB Title compns. comprise 100 parts thermoplastic resins containing ≥50% rubber-modified styrene resins and 1-70 parts organic P compds. containing ≥50% I (R1, R2, R5 = C1-15 linear aliphatic hydrocarbyl; R3, R4 = H or C1-3 linear aliphatic hydrocarbyl; l, m, n = 0-2). A composition of 100 parts a rubber-modified styrene resin and 15 parts 6-oxo-6-phenoxy-12H-dibenzo(d,g)(1,3,2)-dioxaphosphocin (from POCl₃, phenol, and bisphenol F) was extruded and molded into a test piece with heat distortion temperature 62.2° and UL 94 test V-2.

IC ICM C08L051-04
ICS C08K005-527; C08L101-00

CC 37-6 (Plastics Manufacture and Processing)


IT 770-12-7P, Phenylchlorophosphate 18350-98-6P
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(aromatic dioxaphosphocin-containing rubber-modified styrene resin compns. with fire resistance and moldability)

IT 108-95-2, Phenol, reactions 576-26-1, 2,6-Dimethylphenol
 2467-02-9, 2,2'-Methylenebisphenol 3236-63-3, 2,2'-Methylenebis(4-methylphenol) 10025-87-3, TrichloroPhosphorus oxide
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (aromatic dioxaphosphocin-containing rubber-modified styrene resin compns.
 with fire resistance and moldability)

IT 770-12-7P, Phenyldichlorophosphate
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent)
 (aromatic dioxaphosphocin-containing rubber-modified styrene resin compns.
 with fire resistance and moldability)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3,
 TrichloroPhosphorus oxide
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (aromatic dioxaphosphocin-containing rubber-modified styrene resin compns.
 with fire resistance and moldability)

RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 12 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:589774 HCPLUS Full-text
 DOCUMENT NUMBER: 135:167530
 TITLE: Phosphorus-containing crosslinking agents and
 flame-retardant hardened epoxy resins thereof
 INVENTOR(S): Wang, Chun Shan; Shieh, Jeng Yueh
 PATENT ASSIGNEE(S): National Science Committee, Taiwan

SOURCE: Jpn. Kokai Tokkyo Koho, 25 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001220427	A	20010814	JP 2000-391241	20001222 <--
JP 3464783	B2	20031110		
TW 490474	B	20020611	TW 2000-89100075	20000104 <--
US 6613848	B1	20030902	US 2000-571682	20000516 <--
US 2004024255	A1	20040205	US 2003-618915	20030714 <--
US 6992151	B2	20060131		
PRIORITY APPLN. INFO.:			TW 2000-89100075	A 20000104 <--
			US 2000-571682	A3 20000516 <--

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

- AB The crosslinking agents have formulas I-IV [$m = 1, 2$; $m_1 = 0, 1$; $p = 0-3$; $m + p \leq 4$; $R = C1-4$ alkyl; $X = O, S, NH$; $Q =$ bond, CH_2, CMe_2, O, S, SO_2 ; $A = H, V, P(O)Ar_2$; $A' = H, VI, CR_1R_2P(O)Ar_2$; $R_1, R_2 = H, C1-18$ alkyl, (substituted) $C6-18$ aryl, (substituted) $C6-18$ arylmethylene; $Ar = VII, VIII$; $n = 0-5$; $R =$ same as above; all of A and A' is H ; if all of A' is H , ≥ 1 of A is not H ; if all of A is H , ≥ 1 of A' is not H ; $Q' = IX, X$; $n_1 = 0-11$; $Z = NH_2, NHR, R$; $o = 1-3$; $o_1 = 3-10$; $R, Q, X, p =$ same as above; if Q is a bond; $Q' = X$; $Y = (CH_2)_r$ or $p-C_6H_4$; $r = 0-6$]. Epoxy resins in the molten state are crosslinked by using the crosslinking agents or their blends with other crosslinking agents. The flame-retardant hardened epoxy resins have high T_g , decomposition temperature, and modulus and are especially suitable for printed circuit boards and encapsulation of semiconductor devices. Thus, 1 mol 9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide (DOPO) was reacted with 1 mol HCHO at $110-115^\circ$ to give 2-[6-oxide-6H-dibenz[c,e][1,2]oxaphospholin-6-yl]methanol with m.p. $152-154^\circ$ in yield 92, 1.0 mol of which was added in 1 mol a phenol novolak resin melting at 90° , reacted at 140° , cooled, filtered, and dried to give a crosslinking agent with softening point $67-75^\circ$ and P content 3.64% in yield 98%. A cresol-HCHO novolak epoxy resin as mixed with the crosslinking agent and PPh_3 , pulverized, cured in a mold at 150° then 170° and post-cured at 200° to give a cured epoxy resin with T_d (5% weight decrease) 383° , and UL-94 flame retardance V-0.
- IC ICM C08G059-40
 ICS C07F009-52; C07F009-53; C07F009-6574
- CC 37-6 (Plastics Manufacture and Processing)
- IT 884-74-2P 2524-64-3P 32186-92-8P 35948-26-6P 37632-26-1P
 52364-31-5P 97713-98-9P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (P-containing crosslinking agents for flame-retardant hardened epoxy resins)
- IT 101-77-9DP, Diaminodiphenylmethane, polymers, reaction products with P-containing aromatic compds. 106-50-3DP, p-Phenylenediamine, polymers, reaction products with P-containing aromatic compds. 108-78-1DP, Melamine, novolaks, reaction products with P-containing aromatic compds. 603-44-1DP, polymers, reaction products with P-containing aromatic compds. 603-44-1DP,

reaction products with P-containing aromatic compds. 884-74-2DP, reaction products with novolaks 1499-21-4DP, reaction products with novolaks 2524-64-3DP, reaction products with novolaks 7727-33-5DP, 1,1,2,2-Tetrakis(4-hydroxyphenyl)ethane, phenolic resins, reaction products with P-containing aromatic compds. 32186-92-8DP, reaction products with novolaks 35948-26-6DP, reaction products with novolaks 52364-31-5DP, reaction products with novolaks

RL: IMF (Industrial manufacture); MOA (Modifier or additive use); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(crosslinking agents; for flame-retardant hardened epoxy resins)

IT 50-00-0, Formaldehyde, reactions 67-64-1, Acetone, reactions 78-93-3, 2-Butanone, reactions 90-43-7, o-Phenylphenol 108-95-2, Phenol, reactions 4559-70-0, Diphenyl phosphine oxide 4712-55-4, Diphenyl phosphite 10025-87-3, Phosphoryl chloride

RL: RCT (Reactant); RACT (Reactant or reagent)

(reactants in crosslinking agent preparation; P-containing crosslinking agents

for flame-retardant hardened epoxy resins)


IT 2524-64-3P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(P-containing crosslinking agents for flame-retardant hardened epoxy resins)

RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 2524-64-3DP, reaction products with novolaks

RL: IMF (Industrial manufacture); MOA (Modifier or additive use); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(crosslinking agents; for flame-retardant hardened epoxy resins)

RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3, Phosphoryl chloride

RL: RCT (Reactant); RACT (Reactant or reagent)


(reactants in crosslinking agent preparation; P-containing crosslinking agents

for flame-retardant hardened epoxy resins)

RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)




RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 13 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:586498 HCAPLUS Full-text
 DOCUMENT NUMBER: 135:167520
 TITLE: Aromatic cyclic phosphate esters useful for fireproofing agents
 INVENTOR(S): Tando, Kazushi; Taketani, Yutaka
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001220395	A	20010814	JP 2000-30285	20000208 <--
PRIORITY APPLN. INFO.:			JP 2000-30285	20000208 <--
OTHER SOURCE(S):	MARPAT	135:167520		
GI				



AB Aromatic cyclic phosphate esters I (R₁, R₂, R₅ = Me; R₃, R₄ = H, Me; l, m, n = 0-2) are prepared. Thus, a composition containing Panlite L 1225 (bisphenol A polycarbonate) 95.7, Polyflon FA 500 (PTFE) 0.3, and I (R₃, R₄ = H; l, m, n = 0; prepared from Ph dichlorophosphate and 2,2'-methylenebisphenol) 4 parts was injection-molded to give a test piece showing UL-94 rating V-0.

IC ICM C07F009-6574
ICS C09K021-12

CC 37-6 (Plastics Manufacture and Processing)
Section cross-reference(s): 28


IT 770-12-7P, Phenyl dichlorophosphate 18350-98-6P
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(preparation of aromatic cyclic phosphate esters useful for fireproofing agents)

IT 108-95-2, Phenol, reactions 576-26-1, 2,6-Xylenol 2467-02-9,
2,2'-Methylenebisphenol 3236-63-3, 2,2'-Methylenebis(4-methylphenol)
7719-12-2, Phosphorus trichloride 10025-87-3, Phosphorus oxychloride 108840-12-6 197861-51-1
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of aromatic cyclic phosphate esters useful for fireproofing agents)

IT 770-12-7P, Phenyl dichlorophosphate
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(preparation of aromatic cyclic phosphate esters useful for fireproofing agents)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of aromatic cyclic phosphate esters useful for fireproofing agents)

RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS
CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 14 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:290907 HCPLUS Full-text
 DOCUMENT NUMBER: 134:311927
 TITLE: Fire-resistant polycarbonate resin compositions
 INVENTOR(S): Tando, Kazushi; Sato, Takahiro; Taketani, Yutaka
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001115036	A	20010424	JP 1999-293770	19991015 <--
JP 3775952	B2	20060517		

PRIORITY APPLN. INFO.: JP 1999-293770 19991015 <--

AB Title compns. comprise (A) polycarbonate resins 40-99, (B) thermoplastic resins other than polycarbonates 0-55, and (C) cyclic phosphoric acid ester compds. 1-20 parts, where m, n = integer 0-5, R1 = C1-15 aliphatic hydrocarbons and C3-14 aromatic hydrocarbons, and R3, R3 = C1-20 alkyl, aralkyl, or aryl. Thus, phosphorus oxychloride 5757.7, magnesium chloride anhydrous 15.53, and phenol 1024.3 g in chlorobenzene were heated at 110° for 30 min to give monophenyl dichlorophosphate, 300.4 g of which in dioxane was added dropwise to 259.9 g 2,2'-biphenol in dioxane, refluxed for 1.5 h to give biphenyl Ph phosphate. Panlite L 1225WP 96, biphenyl Ph phosphate 4, Polyflon FA 500 0.3, tri-Me phosphate 0.05 parts were mixed, extruded at 260° to give pellets, pellets were dried at 90° for 4 h, and molded at 260° to give a test piece showing HTD (ASTM D 648) 110° and fire-retardance (UL 94) V-2.

IC ICM C08L101-00
 ICS C08K005-527; C08L069-00; C09K021-14; C08L101-00; C08L023-04;
 C08L027-12

CC 37-6 (Plastics Manufacture and Processing)


IT 770-12-7P, Phenyl dichlorophosphate 63392-65-4P 335281-82-8P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation of fire-resistant polycarbonate resin compns.)

IT 108-39-4, m-Cresol, reactions 108-95-2, Phenol, reactions
 576-26-1, 2,6-Dimethylphenol 1806-29-7, 2,2'-Biphenol 10025-87-3,
 , Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of fire-resistant polycarbonate resin compns.)


IT 770-12-7P, Phenyl dichlorophosphate
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation of fire-resistant polycarbonate resin compns.)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of fire-resistant polycarbonate resin compns.)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)




RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




L46 ANSWER 15 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2001:288895 HCAPLUS Full-text
 DOCUMENT NUMBER: 134:311904
 TITLE: Fire-resistant styrene polymer compositions with good heat resistance and moldability
 INVENTOR(S): Yamanaka, Katsuhiro; Tandou, Kazushi; Taketani, Yutaka
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001114972	A	20010424	JP 1999-293771	19991015 <--
JP 3942328	B2	20070711		
PRIORITY APPLN. INFO.:			JP 1999-293771	19991015 <--
OTHER SOURCE(S):	MARPAT	134:311904		
GI				




- AB The compns. comprise (A) 100 parts thermoplastic polymer compns. containing ≥50% styrene polymers modified with rubbers and (B) 1-70 parts organic P compds. containing ≥50% cyclic P compds. I [R1 = C1-15 aliphatic hydrocarbon group, (un)substituted C3-14 aromatic hydrocarbon group; R2, R3 = C1-15 aliphatic hydrocarbon group (linked to biphenyl via O or S), (un)substituted C3-14 aromatic hydrocarbon group (linked to biphenyl via O, S, C1-4 aliphatic hydrocarbon group); m, n = 0-4]. Thus, a composition containing 100 parts polystyrene containing 7.9% butadiene rubber and 15 parts I (R1= phenyl; m, n = 0) was injection-molded to give a test piece showing deflection temperature under load (ASTM D 64, 1/4 in.) 60.2° and UL-94 rating V-2.
- IC ICM C08L051-04
ICS C08K005-527; C08L101-00; C09K021-12; C07F009-6574
- CC 37-6 (Plastics Manufacture and Processing)
Section cross-reference(s): 39
- IT 770-12-7P, Phenyl dichlorophosphate 940-18-1P 18350-98-6P
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(fire-resistant styrene polymer compns. with good heat resistance and moldability)
- IT 108-39-4, reactions 108-95-2, Phenol, reactions 576-26-1,
2,6-Dimethylphenol 1806-29-7, 2,2'-Biphenol 10025-87-3,
Phosphorus oxychloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(fire-resistant styrene polymer compns. with good heat resistance and moldability)
- IT 770-12-7P, Phenyl dichlorophosphate
RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
(fire-resistant styrene polymer compns. with good heat resistance and moldability)
- RN 770-12-7 HCPLUS
- CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




- IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(fire-resistant styrene polymer compns. with good heat resistance and moldability)
- RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS

CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 16 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2000:592724 HCPLUS Full-text
 DOCUMENT NUMBER: 133:192981
 TITLE: Process for producing phosphorohalide
 INVENTOR(S): Fujita, Yasunori
 PATENT ASSIGNEE(S): Daihachi Chemical Industry Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 36 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000049024	A1	20000824	WO 2000-JP508	20000128 <--
W: CA, CN, ID, KR, MX, SG, US				
RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
JP 2000239286	A	20000905	JP 1999-37480	19990216 <--
JP 3793867	B2	20060705		
CA 2362069	A1	20000824	CA 2000-2362069	20000128 <--
CA 2362069	C	20070703		
EP 1153929	A1	20011114	EP 2000-902011	20000128 <--
EP 1153929	B1	20030409		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
AT 236909	T	20030415	AT 2000-902011	20000128 <--
US 6462216	B1	20021008	US 2001-913144	20010808 <--
MX 2001PA08259	A	20021023	MX 2001-PA8259	20010815 <--
PRIORITY APPLN. INFO.:			JP 1999-37480	A 19990216 <--
			WO 2000-JP508	W 20000128 <--

OTHER SOURCE(S): CASREACT 133:192981


AB Described is a process for producing a phosphorohalide characterized in that a crude reaction product obtained by reacting a phosphorus oxyhalide with an aromatic hydroxy compound in the presence of a Lewis acid catalyst is purified

by distillation in the presence of an alkali metal salt. Distillation in the presence of an alkali metal salt suppresses disproportionation reaction. By the process, a high-purity phosphorohalide can be produced in high yield which contains no impurities such as the phosphorus oxyhalide and aromatic hydroxy compound used as starting materials and the catalyst. Thus, phenol 752, phosphorus oxychloride 1,842, and MgCl₂ 2 g were placed in a 2 L flask, mixed with warming, and gradually heated to 95° over a period of 7 h, during which HCl(g) generated was introduced to a scrubber. The pressure was gradually reduced to 100 mmHg and the temperature was raised to 120° to recover excess phosphorus oxychloride to give crude product (1,730.2 g) consisting of phosphorus oxychloride 7.6, Ph phosphorodichloride (I) 84.7, and di-Ph phosphorochloride (II) 7.7 weight%. A mixture of the crude product (861 g) and 1.1 g Na₂CO₃ was distilled and fractionated at 31 mmHg to give a distillation fraction consisting of 676.1 g I (99.8% weight% purity) and 1.4 g II.


IC ICM C07F009-12
ICS C07F009-14
CC 25-8 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
IT 115-86-6P, Triphenyl phosphate 2524-64-3P, Diphenyl phosphorochloride
RL: BYP (Byproduct); REM (Removal or disposal); PREP (Preparation); PROC (Process)
(preparation of phosphorohalide by condensation of phosphorus oxyhalide with aromatic hydroxy compound and distillation in presence of alkali metal salt
for purification)
IT 770-12-7P, Phenyl phosphorodichloride
RL: IMF (Industrial manufacture); PUR (Purification or recovery); SPN (Synthetic preparation); PREP (Preparation)
(preparation of phosphorohalide by condensation of phosphorus oxyhalide with aromatic hydroxy compound and distillation in presence of alkali metal salt
for purification)
IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of phosphorohalide by condensation of phosphorus oxyhalide with aromatic hydroxy compound and distillation in presence of alkali metal salt
for purification)
IT 2524-64-3P, Diphenyl phosphorochloride
RL: BYP (Byproduct); REM (Removal or disposal); PREP (Preparation); PROC (Process)
(preparation of phosphorohalide by condensation of phosphorus oxyhalide with aromatic hydroxy compound and distillation in presence of alkali metal salt
for purification)
RN 2524-64-3 HCPLUS
CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 770-12-7P, Phenyl phosphorodichloride
 RL: IMF (Industrial manufacture); PUR (Purification or recovery); SPN (Synthetic preparation); PREP (Preparation)
 (preparation of phosphorohalide by condensation of phosphorus oxyhalide with aromatic hydroxy compound and distillation in presence of alkali metal salt for purification)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of phosphorohalide by condensation of phosphorus oxyhalide with aromatic hydroxy compound and distillation in presence of alkali metal salt for purification)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 17 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2000:63068 HCPLUS Full-text
 DOCUMENT NUMBER: 132:208670
 TITLE: Synthesis and flame retardation mechanism of polyphenyl phosphates
 AUTHOR(S): Wang, Xiaomei; Yang, Ping; Ou, Yuxiang; Lu, Yan;


CORPORATE SOURCE: Zhang, Ying
 Institute of Crystal Materials, Shandong University,
 Ji'nan, 250100, Peop. Rep. China
 SOURCE: Yingyong Huaxue (1999), 16(6), 86-88
 CODEN: YIHUED; ISSN: 1000-0518
 PUBLISHER: Yingyong Huaxue Bianji Weiyuanhui
 DOCUMENT TYPE: Journal
 LANGUAGE: Chinese

AB Polyphenyl phosphates (PPP) were synthesized by solution polycondensation of phenylphosphoric dichloride with benzenediol in the presence of pyridine at room temperature. The optimum molar ratio for the synthesis was n(-OH):n(-Cl):n(Py) = 1.4:1.0:2.4. The structures of PPPs were characterized by IR and ¹H NMR. PPPs with d.p. of 43.apprx.45 possessed good flame retardance (limiting oxygen index >25.5). The flame retardant property of PPP towards epoxide resin E-44 was discussed in relation to the d.p. of the polymers.

CC 37-6 (Plastics Manufacture and Processing)
 IT 770-12-7P, Phenylphosphoric dichloride
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and polymerization with benzenediol)
 IT 10025-87-3, Phosphoryl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phenol)
 IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phosphoryl chloride)
 IT 770-12-7P, Phenylphosphoric dichloride
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and polymerization with benzenediol)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 10025-87-3, Phosphoryl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phenol)
 RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction with phosphoryl chloride)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



L46 ANSWER 18 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2000:36588 HCPLUS Full-text
 DOCUMENT NUMBER: 132:51113
 TITLE: Nitrogen-containing phosphate fire retardants for poly(ethylene terephthalate) fiber fabrics and their preparation
 INVENTOR(S): Cho, Wan; Cho, Yongsik; Seo, Wooman
 PATENT ASSIGNEE(S): Guk, Inyoung, S. Korea
 SOURCE: Faming Zhuanli Shenqing Gongkai Shuomingshu, 8 pp.
 CODEN: CNXXEV
 DOCUMENT TYPE: Patent
 LANGUAGE: Chinese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
CN 1155601	A	19970730	CN 1996-122640	19961022 <--
CN 1078646	B	20020130		

PRIORITY APPLN. INFO.: CN 1996-122640 19961022 <--

OTHER SOURCE(S): MARPAT 132:51113

AB The fire retardants, useful for PET fabrics with good fire resistance and durability, are N-containing phosphoric acid esters (R1)2P(O)R2 or R1OP(O)(R2)R3 [R1 = alkyl, allyl, or phenyl; R2, R3 = amino, melamine group, -NHCONH2, -NHCOOR1, -NH(CH2)nNH2, and -NH-p-C6H4NH2]. The fire retardant is prepared by reacting a halogen-containing phosphoric acid ester with a N-containing compound selected from urea, melamine, aminoformate, amine, diamine, or aryldiamine in an inert gas atmospheric

IC ICM D06M015-43

CC 40-9 (Textiles and Fibers)

Section cross-reference(s): 37

IT 770-12-7P, Phenyl dichlorophosphate 2524-64-3P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(preparation of nitrogen-containing phosphate fire retardants for poly(ethylene

terephthalate) fiber fabrics)

IT 57-13-6, Urea, reactions 107-10-8, Propylamine, reactions 108-78-1, 1,3,5-Triazine-2,4,6-triamine, reactions 108-95-2, Phenol, reactions 124-09-4, 1,6-Hexanediamine, reactions 10025-87-3, Phosphoric trichloride

RL: RCT (Reactant); RACT (Reactant or reagent)


(starting material; preparation of nitrogen-containing phosphate fire retardants

for poly(ethylene terephthalate) fiber fabrics)


IT 770-12-7P, Phenyl dichlorophosphate 2524-64-3P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP


(Preparation); RACT (Reactant or reagent)
 (preparation of nitrogen-containing phosphate fire retardants for
 poly(ethylene
 terephthalate) fiber fabrics)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 108-95-2, Phenol, reactions 10025-87-3, Phosphoric
 trichloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (starting material; preparation of nitrogen-containing phosphate fire
 retardants
 for poly(ethylene terephthalate) fiber fabrics)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



ACCESSION NUMBER: 1999:603563 HCAPLUS Full-text
 DOCUMENT NUMBER: 131:229602
 TITLE: Polycarbonate-based thermoplastic fire-resistant composition with good heat and impact resistance
 INVENTOR(S): Sato, Takahiro; Mukai, Akihiro; Taketani, Yutaka;
 Kobayashi, Yasuaki
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 14 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11256022	A	19990921	JP 1998-56774	19980309 <--
JP 3899178	B2	20070328		

PRIORITY APPLN. INFO.: MARPAT 131:229602

AB The composition comprises a mixture of a polycarbonate 40-97, a thermoplastic 0-45 and a cyclic phosphate of P(O)2OOR (R = C3-20 Ph, naphthyl, anthryl, pyridyl, triacyl) 2.5, a fluoropolymer 0.01-3% containing 80 phr talc, wherein the weight ratio of P in the phosphate and the talc is ≥0.25. Thus, a composition was made from Panlite L 1225WP 73.7, Santac UT 61, a diphenylpentaerythritol diphosphate, prepared by the reaction of 5757.7 g phosphorus oxychloride and 1024.3 g phenol in chlorobenzene in the presence of anhydride MgCl₂ then with 3000 g pyridine and 300 g pentaerythritol, 6.0, Polyflon FA 500 0.3 and talc 0.3 part.

IC ICM C08L069-00
 ICS C08K013-02; C08L069-00; C08L101-00; C08L027-12; C08L025-04;
 C08L067-02; C08K005-523; C08K003-34

CC 37-6 (Plastics Manufacture and Processing)

IT 770-12-7P 18350-98-6P 18351-36-5P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent)


(polycarbonate-based thermoplastic fire-resistant composition with good heat
 and impact resistance)

IT 98-54-4 108-95-2, Phenol, reactions 110-86-1, Pyridine,
 reactions 115-77-5, reactions 576-26-1 10025-87-3,
 Phosphorus oxychloride


RL: RCT (Reactant); RACT (Reactant or reagent)
 (polycarbonate-based thermoplastic fire-resistant composition with good heat
 and impact resistance)

IT 770-12-7P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP
 (Preparation); RACT (Reactant or reagent)
 (polycarbonate-based thermoplastic fire-resistant composition with good heat
 and impact resistance)


RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (polycarbonate-based thermoplastic fire-resistant composition with good heat
 and impact resistance)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 20 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1999:603562 HCAPLUS Full-text
 DOCUMENT NUMBER: 131:229601
 TITLE: Fire- and heat-resistant polycarbonate-polyester blend compositions containing cyclic phosphates and inorganic salts
 INVENTOR(S): Sato; Takahiro; Taketani, Yutaka
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11256021	A	19990921	JP 1998-56773	19980309 <--
JP 3899177	B2	20070328		
PRIORITY APPLN. INFO.:			JP 1998-56773	19980309 <--

AB Title compns. comprise (A) polycarbonates 96-40, (B) polyesters 1-55, (C) cyclic phosphates 2-20, (D) inorg. salts selected from carbonates and phosphates of alkaline earth metals ≤ 10 , and (E) fluoropolymers 0.01-3 parts, where A + B + C + D + E = 100 parts and mol ratios of P atoms (from component C) to D ≥ 0.02 . Thus, a composition comprising Panlite L 1225WP 55.7, TR 8580 30, di-Ph pentaerythritol diphosphate (preparation given) 12, Polyflon FA 500 0.3, and calcium carbonate 2 parts gave flammability (UL 94) V-0 and deflection temperature (JIS K 7207, 18.5 kg/cm²-load) 104°.

IC ICM C08L069-00
 ICS C08K013-02; C08L069-00; C08L067-02; C08L027-12; C08K005-523;
 C08K003-26; C08K003-32

CC 37-6 (Plastics Manufacture and Processing)


IT 770-12-7P, Phenyl dichlorophosphate 18350-98-6P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (in preparation of cyclic phosphates for fire- and heat-resistant polycarbonate-polyester blend compns.)

IT 98-54-4, 4-tert-Butylphenol 108-95-2, Phenol, reactions
 115-77-5, Pentaerythritol, reactions 576-26-1, 2,6-Dimethylphenol
 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (in preparation of cyclic phosphates for fire- and heat-resistant polycarbonate-polyester blend compns.)

IT 770-12-7P, Phenyl dichlorophosphate
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (in preparation of cyclic phosphates for fire- and heat-resistant polycarbonate-polyester blend compns.)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (in preparation of cyclic phosphates for fire- and heat-resistant polycarbonate-polyester blend compns.)

RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 21 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1999:556837 HCPLUS Full-text
 DOCUMENT NUMBER: 131:200797
 TITLE: Heat- and impact-resistant polycarbonate compositions containing cyclic phosphate ester/inorganic salt flame retardants
 INVENTOR(S): Sato, Takahiro; Mukai, Akihiro; Taketani, Yutaka
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 10 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 11236497	A	19990831	JP 1998-56775	19980309 <--
JP 3948812	B2	20070725		

PRIORITY APPLN. INFO.: JP 1997-351056 A 19971219 <--

AB The compns. contain polycarbonates 40-97, styrene polymers 0-55, cyclic phosphate esters having the skeleton OP(:O)(O)OR [R = C3-20 group selected from (un)substituted Ph, naphthyl, anthryl, pyridyl, and triazyl] 2-20, alkaline earth metal carbonate and/or phosphate salts ≤10, and fluoropolymers 0.01-3 parts, wherein the total of the components above is 100 parts and ratio of (mol number of the inorg. salts)/(mol number of P in the phosphate esters) is ≥0.02. Thus, Panlite L 1225WP (polycarbonate) 73.4, Santac UT 61 (ABS resin) 20.0, di-Ph pentaerythritol diphosphate (preparation given) 6.0, Polyflon FA 500 (PTFE) 0.3, and CaCO₃ 0.3 part were pelletized and injection-molded to give test pieces showing UL-94 flame retardance rating V-1 and deflection temperature under load (18.5 kg/cm²) 107°.

IC ICM C08L069-00
 ICS C08K003-26; C08K003-32; C08K005-521; C08L069-00; C08L025-04;
 C08L027-12

CC 37-6 (Plastics Manufacture and Processing)
 Section cross-reference(s): 25

IT 770-12-7P 18350-98-6P 18351-36-5P
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (in preparation of cyclic phosphate esters; heat- and impact-resistant polycarbonate compns. containing cyclic phosphate ester/inorg. salt flame retardants)


IT 98-54-4 108-95-2, Phenol, reactions 115-77-5, reactions
 576-26-1 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (in preparation of cyclic phosphate esters; heat- and impact-resistant polycarbonate compns. containing cyclic phosphate ester/inorg. salt flame retardants)

IT 770-12-7P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (in preparation of cyclic phosphate esters; heat- and impact-resistant polycarbonate compns. containing cyclic phosphate ester/inorg. salt flame retardants)

RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride

RL: RCT (Reactant); RACT (Reactant or reagent)
 (in preparation of cyclic phosphate esters; heat- and impact-resistant polycarbonate compns. containing cyclic phosphate ester/inorg. salt flame retardants)


RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCPLUS

CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 22 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1998:300623 HCPLUS Full-text
 DOCUMENT NUMBER: 129:4751
 TITLE: Process for the formation of hydrocarbyl bis(hydrocarbyl phosphate)
 INVENTOR(S): Bright, Danielle A.; Pirrelli, Ronald L.
 PATENT ASSIGNEE(S): Akzo Nobel N, Neth.
 SOURCE: U.S., 4 pp., Cont.-in-part of U.S. Ser. No. 332,671.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5750756	A	19980512	US 1996-681735	19960729 <--
US 6136997	A	20001024	US 1994-332671	19941101 <--
CN 1167488	A	19971210	CN 1995-196541	19951020 <--
CN 1076354	B	20011219		
WO 9804566	A1	19980205	WO 1997-EP3871	19970714 <--
W: CA, JP				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
EP 915891	A1	19990519	EP 1997-932839	19970714 <--
EP 915891	B1	20020102		
R: DE, FR, GB, IT				
JP 2000516587	T	20001212	JP 1998-508450	19970714 <--
PRIORITY APPLN. INFO.:				
			US 1994-332671	A2 19941101 <--
			US 1996-681735	A 19960729 <--
			WO 1997-EP3871	W 19970714 <--

OTHER SOURCE(S): CASREACT 129:4751

AB A process for forming a composition containing over, for example, about 90% by weight of an alkylene-arylene bridging group-containing bis(di-Ph phosphate) compound and less than, for example, 10%, by weight, of monophosphate byproduct. This process involves the reaction of a composition containing a di-Ph halophosphate and an alkylene-arylene bridging group-containing diol, in the presence of a catalytic amount of a Lewis acid catalyst, utilizing a means, during the course of the reaction, for removal of hydrohalide byproduct. The preferred means that are used for removal of hydrohalide byproduct include: performing the reaction in a hydrocarbon solvent; utilizing vacuum to remove such byproduct; utilizing sparging with an inert gas; and compatible combinations of one or more of the foregoing means. Thus, reaction of di-Ph chlorophosphate with bisphenol A in the presence of MgCl₂ catalyst in heptane gave a mixture of bisphenol A bis(di-Ph phosphate), tri-Ph phosphate, isopropenylphenyl diphenylphosphate.

IC ICM C07F009-12

INCL 558162000

CC 29-7 (Organometallic and Organometalloidal Compounds)

IT 80-05-7, Bisphenol A, reactions 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl chlorophosphate

RL: RCT (Reactant); RACT (Reactant or reagent)

(process for formation of hydrocarbyl bis(hydrocarbyl phosphate))


IT 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl chlorophosphate

RL: RCT (Reactant); RACT (Reactant or reagent)

(process for formation of hydrocarbyl bis(hydrocarbyl phosphate))


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



REFERENCE COUNT: 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 23 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1998:190176 HCAPLUS Full-text
 DOCUMENT NUMBER: 128:244191
 TITLE: Process for preparing monohydroxy-terminated phosphate compositions
 INVENTOR(S): Bright, Danielle A.; Pirrelli, Ronald L.
 PATENT ASSIGNEE(S): Akzo Nobel NV, Neth.
 SOURCE: U.S., 4 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5728859	A	19980317	US 1996-742079	19961031 <--
US 5817857	A	19981006	US 1997-880095	19970620 <--
WO 9818802	A1	19980507	WO 1997-EP5983	19971023 <--
W: CA, JP				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
EP 937087	A1	19990825	EP 1997-950045	19971023 <--
EP 937087	B1	20030910		
R: DE, GB				
PRIORITY APPLN. INFO.:			US 1996-742079	A3 19961031 <--
			WO 1997-EP5983	W 19971023 <--

OTHER SOURCE(S): MARPAT 128:244191
 AB The present invention is a process for forming monohydroxy-terminated aromatic oligomeric phosphates, HORO[P(O)(OAr)ORO]_nP(O)(OAr)₂ (Ar = (un)substituted aryl, hydrocarbyl, n = 0-10), by the reaction of a diaryl halophosphate, such as di-Ph chlorophosphate, optionally in the presence of some monoaryl dihalophosphate, with an aromatic diol, such as resorcinol, to form the monohydroxy-terminated aromatic oligomeric phosphate. The reaction preferably employs a Lewis acid catalyst, such as magnesium dichloride. Thus, magnesium dichloride catalyzed reaction of di-Ph chlorophosphate with resorcinol at 110° gave resorcinol bis(diphenyl)phosphate (49.1%), resorcinol di-Ph phosphate (41.7%), resorcinol (3.7%), and tri-Ph phosphate (1.00%).

IC ICM C07F009-09

INCL 558099000

CC 29-7 (Organometallic and Organometalloidal Compounds)

Section cross-reference(s): 35

IT 80-05-7, reactions 95-71-6, Toluhydroquinone 108-46-3,
 1,3-Benzenediol, reactions 123-31-9, Hydroquinone, reactions
 770-12-7, Phenyl dichlorophosphate 1948-33-0,
 tert-Butylhydroquinone 2524-64-3, Diphenyl chlorophosphate

RL: RCT (Reactant); RACT (Reactant or reagent)


(process for preparing monohydroxy-terminated phosphate compns.)

IT 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl
 chlorophosphate

RL: RCT (Reactant); RACT (Reactant or reagent)
 (process for preparing monohydroxy-terminated phosphate compns.)


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



REFERENCE COUNT:

9

THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L46 ANSWER 24 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1998:102880 HCPLUS Full-text

DOCUMENT NUMBER: 128:154220

TITLE: Preparation of hydrocarbyl bis(dihydrocarbyl phosphate) with improved removal of hydrogen chloride byproduct

INVENTOR(S): Bright, Danielle A.; Pirrelli, Ronald L.

PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.

SOURCE: PCT Int. Appl., 15 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 3

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9804566	A1	19980205	WO 1997-EP3871	19970714 <--
W: CA, JP				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 5750756	A	19980512	US 1996-681735	19960729 <--
EP 915891	A1	19990519	EP 1997-932839	19970714 <--
EP 915891	B1	20020102		
R: DE, FR, GB, IT				
JP 2000516587	T	20001212	JP 1998-508450	19970714 <--
PRIORITY APPLN. INFO.:			US 1996-681735	A 19960729 <--
			US 1994-332671	A2 19941101 <--
			WO 1997-EP3871	W 19970714 <--
OTHER SOURCE(S):	CASREACT 128:154220; MARPAT 128:154220			

AB A process for forming a composition containing over, for example, .apprx.90% by weight of an alkylene-arylene bridging group-containing bis(di-Ph phosphate) compound, (RO)2P(O)OR'OP(O)(OR)2 (R = e.g. aryl; R' = -Ar-R''-Ar-, Ar = arylene (e.g. phenylene), R'' = alkylene) and less than, for example, 10% by weight of monophosphate byproduct. This process involves the reaction of a composition containing a diaryl halophosphate, (RO)2P(O)X, and an alkylene-arylene bridging group-containing diol, in the presence of a catalytic amount of a Lewis acid catalyst, using a means, during the reaction, for removal of HX byproduct. The preferred means that were used for removal of hydrohalide byproduct include using vacuum; sparging with an inert gas; vacuum in combination with performing the reaction in a hydrocarbon solvent; sparging with an inert gas in combination with performing the reaction in a hydrocarbon solvent; and vacuum and sparging with an inert gas in combination with performing the reaction in a hydrocarbon solvent. For example, 91% weight/weight bisphenol A bis(di-Ph phosphate) (1), 1.6% O:P(OPh)3, 4.7% isopropenylphenyl di-Ph phosphate and 2.3% of the next higher oligomer of 1 were obtained from 0.5 mol (PhO)2P(O)Cl, 0.25 bisphenol A, 2.63 + 10-3 mol MgCl₂ and 20 weight% heptane at reflux using a vacuum of 200 mbar to remove HCl; when N₂ sparging was used at the end of the reaction, only 80.4 weight % 1 was obtained.

IC ICM C07F009-12

CC 29-7 (Organometallic and Organometalloidal Compounds)

IT 80-05-7, Bisphenol A, reactions 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl phosphorochloridate


RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of hydrocarbyl bis(dihydrocarbyl phosphate) with improved removal of hydrogen halide byproduct)

IT 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl phosphorochloridate

RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of hydrocarbyl bis(dihydrocarbyl phosphate) with improved removal of hydrogen halide byproduct)


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



REFERENCE COUNT:


4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L46 ANSWER 25 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1998:35999 HCAPLUS Full-text
 DOCUMENT NUMBER: 128:154225
 TITLE: Preparation of aromatic group-monosubstituted dichlorophosphates as intermediates for phosphoric acid esters as modifiers for thermoplastic resins
 INVENTOR(S): Shimizu, Yasuhiro
 PATENT ASSIGNEE(S): Teijin Chemicals Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 5 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 10007690	A	19980113	JP 1996-159693	19960620 <--
PRIORITY APPLN. INFO.:			JP 1996-159693	19960620 <--


OTHER SOURCE(S): CASREACT 128:154225; MARPAT 128:154225
 AB ArOP(O)Cl₂ [Ar = (halo-substituted) C₆-15 aromatic] are prepared by reaction of Cl₃P(O) with ArOH (Ar = same as above) in the presence of Mg, MgCl₂, and/or MgO catalysts under successively or intermittently flowing dry inert gases at normal pressure. Thus, PhOH reacted with Cl₃P(O) [PhOH:Cl₃P(O) = 3.5:1.0 (mol ratio)] in the presence of Mg in PhCl at 110° under flowing N for 1 h to give 98% PhOP(O)Cl₂.
 IC ICM C07F009-14
 ICS B01J023-02; B01J027-138; C07B061-00
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 Section cross-reference(s): 37
 IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of aromatic dichlorophosphates by condensation of phenols with phosphorus oxychloride in presence of Mg catalysts)
 IT 770-12-7P, Phenyl dichlorophosphate
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of aromatic dichlorophosphates by condensation of phenols with phosphorus oxychloride in presence of Mg catalysts)
 IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of aromatic dichlorophosphates by condensation of phenols with phosphorus oxychloride in presence of Mg catalysts)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




IT 770-12-7P, Phenyl dichlorophosphate
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of aromatic dichlorophosphates by condensation of phenols with
 phosphorus oxychloride in presence of Mg catalysts)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




L46 ANSWER 26 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1997:102652 HCPLUS Full-text
 DOCUMENT NUMBER: 126:171656
 TITLE: Synthesis of asymmetric triaryl phosphates via
 phase-transfer catalysis
 AUTHOR(S): Genkina, G. K.; Shipov, A. E.; Mastryukova, T. A.;
 Kabachnik, M. I.
 CORPORATE SOURCE: Inst. Elementoorg. Soedin. im. Nesmeyanova, Moscow,
 Russia
 SOURCE: Zhurnal Obshchey Khimii (1996), 66(11),
 1788-1790
 CODEN: ZOKHA4; ISSN: 0044-460X
 PUBLISHER: Nauka
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 OTHER SOURCE(S): CASREACT 126:171656
 AB Reaction of $(\text{PhO})_2\text{P}(\text{O})\text{Cl}$ or $\text{PhOP}(\text{O})\text{Cl}_2$ with ROH ($\text{R} = 3,5\text{-Me}_2\text{C}_6\text{H}_3$, 3-tolyl, 4-
 MeOC_6H_4 , 4-ClC₆H₄, 4-MeCOC₆H₄, 4-O₂NC₆H₄) in PhMe containing $\text{PhCH}_2\text{NEt}_3\text{Cl}$
 and/or saturated aqueous NaOH gave 83-92% $(\text{PhO})_2\text{P}(\text{O})\text{OR}$ (same R) or 26-88%
 $\text{PhOP}(\text{O})(\text{OR})_2$ ($\text{R} = 3,5\text{-Me}_2\text{C}_6\text{H}_3$, 3-tolyl, 4-MeOC₆H₄, 4-MeCOC₆H₄, 4-O₂NC₆H₄). In
 general, use of phase-transfer catalysis ($\text{PhCH}_2\text{NEt}_3\text{Cl}$ catalyst) and 30%
 aqueous NaOH gave the best yields. Yields of phosphates decreased with
 increasing electronegativity of the substituents on the phenolic benzene ring;
 the order of reagent addition was important here.
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 IT Phenols, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (synthesis of asym. triaryl phosphates via phase-transfer catalysis)
 IT 99-93-4, 4-Acetylphenol 100-02-7, 4-Nitrophenol, reactions 106-48-9,
 4-Chlorophenol 108-39-4, 3-Methylphenol, reactions 108-68-9,
 3,5-Dimethylphenol 150-76-5, 4-Methoxyphenol 770-12-7,
 Dichloro(phenoxy)phosphine oxide 2524-64-3, Diphenyl
 chlorophosphate
 RL: RCT (Reactant); RACT (Reactant or reagent)

(synthesis of asym. triaryl phosphates via phase-transfer catalysis)
IT 770-12-7, Dichloro(phenoxy)phosphine oxide 2524-64-3,
Diphenyl chlorophosphate
RL: RCT (Reactant); RACT (Reactant or reagent)
(synthesis of asym. triaryl phosphates via phase-transfer catalysis)
RN 770-12-7 HCAPLUS
CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCAPLUS
CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




L46 ANSWER 27 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1996:579833 HCAPLUS Full-text
DOCUMENT NUMBER: 125:222168
TITLE: Preparation of aryl chlorophosphates by quaternary phosphonium-catalyzed reaction of phenols with phosphorus oxychloride
INVENTOR(S): Kato, Mutsuno; Hara, Yoshifusa
PATENT ASSIGNEE(S): Nippon Chemical Ind, Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 8 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 08176164	A	19960709	JP 1994-334599	19941220 <--
PRIORITY APPLN. INFO.:			JP 1994-334599	19941220 <--


OTHER SOURCE(S): CASREACT 125:222168

AB Aryl chlorophosphates, useful as intermediates for drugs, agrochems., plasticizers, and fireproofing agents for synthetic polymers, are prepared by treatment of phenols, which may also have substituent(s) on the Ph ring, with POCl_3 in the presence of quaternary phosphonium salts. The relative proportions of aryl dichlorophosphates or diaryl chlorophosphate produced is changed by increasing or decreasing the ratio of POCl_3 to phenols, resp. A mixture of POCl_3 (0.02M), PhOH (0.025M), and $\text{Et}_4\text{P}^+ \text{Br}^-$ was stirred under heating at 140° for 4 h to give 32.0% (based on POCl_3) $(\text{PhO})_2\text{P}(\text{O})\text{Cl}$ and 44.8% $\text{PhOP}(\text{O})\text{Cl}_2$.


IC ICM C07F009-14
 ICS B01J031-02
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 Section cross-reference(s): 37, 40
 IT 770-12-7P, Phenyl phosphorodichloride 940-18-1P,
 3-Methylphenyl dichlorophosphate 2524-64-3P, Diphenyl
 phosphorochloride 6630-14-4P, Bis(3-methylphenyl) chlorophosphate
 14254-41-2P, Bis(2,4-dichlorophenyl) chlorophosphate 19430-75-2P,
 2,4-Dichlorophenyl dichlorophosphate 34283-78-8P, Tetrahexylphosphonium
 bromide
 RL: IMF (Industrial manufacture); SPN (Synthetic
 preparation); PREP (Preparation)
 (preparation of (di)aryl phosphoro(di)chlorides by quaternary
 phosphonium-catalyzed reaction of phenols with POCl_3)
 IT 108-39-4, reactions 108-95-2, Phenol, reactions 120-83-2,
 2,4-Dichlorophenol 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of (di)aryl phosphoro(di)chlorides by quaternary
 phosphonium-catalyzed reaction of phenols with POCl_3)
 IT 770-12-7P, Phenyl phosphorodichloride 2524-64-3P,
 Diphenyl phosphorochloride
 RL: IMF (Industrial manufacture); SPN (Synthetic
 preparation); PREP (Preparation)
 (preparation of (di)aryl phosphoro(di)chlorides by quaternary
 phosphonium-catalyzed reaction of phenols with POCl_3)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 108-95-2, Phenol, reactions 10025-87-3, Phosphorus
 oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of (di)aryl phosphoro(di)chlorides by quaternary
 phosphonium-catalyzed reaction of phenols with POCl_3)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




L46 ANSWER 28 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1995:913784 HCAPLUS Full-text
 DOCUMENT NUMBER: 124:57079
 TITLE: Manufacture of poly (hydrocarbylene aryl phosphate) compositions
 INVENTOR(S): Brady, Bill L.; Bright, Danielle A.; Schafer, Francis M.
 PATENT ASSIGNEE(S): Akzo Nobel N.V., Neth.
 SOURCE: U.S., 5 pp. Cont.-in-part of U.S. Ser. No. 25,708, abandoned.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5457221	A	19951010	US 1993-152546	19931115 <--
EP 613902	A1	19940907	EP 1994-200441	19940222 <--
EP 613902	B1	19981209		
R: DE, FR, GB, IT, NL				
CA 2116802	A1	19940904	CA 1994-2116802	19940302 <--
CA 2116802	C	20060509		
JP 06316586	A	19941115	JP 1994-58104	19940303 <--
JP 3270619	B2	20020402		
PRIORITY APPLN. INFO.:			US 1993-25708	B2 19930303 <--
			US 1993-152546	A 19931115 <--


AB Arylene poly(diarylphosphate) compns. can be formed by (a) forming a reaction mixture comprising diaryl halophosphate and, as byproducts, a mixture of monoaryl dihalophosphate and triarylphtophate, by reaction of phosphorus oxyhalide e.g. phosphorous oxytrichloride and a phenol in a first reactor; (b) optionally transferring the reaction mixture from (a) to a subsequent reactor where at least a portion of the monoaryl dihalophosphate is recycled to the first reactor for reaction with the phenol to form addnl. diaryl halophosphate in the first reactor and the reaction mixture in (b) becomes enriched with diaryl halophosphate to ultimately favor the ultimate formation of a product of lower mol. weight distribution; and (c) reacting the product from (a) or (b), as selected, with an aromatic diol e.g. resorcinol, to form the arylene

poly(diarylphosphate) product. If a higher amount of oligomer is desired, the DPCP/MPCP is lowered, if higher amount of lower oligomer is desired, the ratio is raised. A diagram shows a production facility reaction process for making the title product.


IC ICM C07F009-12
 INCL 558099000
 CC 35-5 (Chemistry of Synthetic High Polymers)
 Section cross-reference(s): 29, 45
 IT 770-12-7P, Phenyl dichlorophosphate 2524-64-3P, Diphenyl chlorophosphate
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and reaction with aromatic diol)
 IT 10025-87-3, Phosphorus oxytrichloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phenol)
 IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phosphorous oxytrichloride)
 IT 770-12-7P, Phenyl dichlorophosphate 2524-64-3P, Diphenyl chlorophosphate
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)
 (preparation and reaction with aromatic diol)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 10025-87-3, Phosphorus oxytrichloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phenol)
 RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phosphorous oxytrichloride)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)




L46 ANSWER 29 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1995:353512 HCAPLUS Full-text
 DOCUMENT NUMBER: 123:56035
 TITLE: Phosphomonoesters and phosphodiesters derived from the photohydrolysis of 2-methoxy-5-nitrophenyl substituted phosphotriesters
 AUTHOR(S): Graciani, Nilsa R.; Swanson, Daniel S.; Kelley, Jeffery W.
 CORPORATE SOURCE: Dep. Chem., Texas A and M Univ., College Station, TX,
 77843-3255, USA
 SOURCE: Tetrahedron (1995), 51(4), 1077-86
 CODEN: TETRAB; ISSN: 0040-4020
 PUBLISHER: Elsevier
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 123:56035
 GI




AB Phosphotriesters composed of one or two 2-methoxy-5-nitrophenyl group(s), e.g., I (R = Me, Ph), can be quant. photohydrolyzed in aqueous MeCN to yield

the desired phosphodiester, $(RO)_2P(O)O^-$ or phosphomonoester, $ROP(O)(O^-)_2$ resp. Photohydrolysis occurs by attack of hydroxide at both the phosphoryl P and at the ipso-C in the triplet excited state of the 2-methoxy-5-nitrophenyl substituted phosphoesters. The photophys. studies described within imply that this type of reaction may be synthetically useful.

CC 29-7 (Organometallic and Organometalloidal Compounds)
IT 100-27-6, 4-Nitrophenethyl alcohol 636-93-1,
2-Methoxy-5-nitrophenol 770-12-7, Phenylphosphoric dichloride
814-49-3, Diethyl phosphoric chloride 921-26-6 1498-51-7, Ethyl
phosphoric dichloride 2524-64-3, Diphenyl phosphoric chloride
29885-95-8, N-Methylanilinium trifluoroacetate 161772-13-0 161772-14-1
161772-15-2 161772-16-3
RL: RCT (Reactant); RACT (Reactant or reagent)
· phosphomonoesters and phosphodiesters derived from the photohydrolysis
· of methoxynitrophenyl substituted phosphotriesters)
IT 770-12-7, Phenylphosphoric dichloride 2524-64-3,
Diphenyl phosphoric chloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(phosphomonoesters and phosphodiesters derived from the photohydrolysis
of methoxynitrophenyl substituted phosphotriesters)
RN 770-12-7 HCPLUS
CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




L46 ANSWER 30 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1994:134689 HCPLUS Full-text
DOCUMENT NUMBER: 120:134689
TITLE: Synthesis of aryl dichlorophosphates using phase transfer catalysts
AUTHOR(S): Rathore, M.; Kabra, A.; Rani, P.; Narang, C. K.; Mathur, N. K.
CORPORATE SOURCE: Dep. Chem., Univ. Jodhpur, Jodhpur, 342 001, India
SOURCE: Indian Journal of Chemistry, Section B: Organic Chemistry Including Medicinal Chemistry (1993), 32B(10), 1066-7
CODEN: IJSBDB; ISSN: 0376-4699
DOCUMENT TYPE: Journal
LANGUAGE: English

OTHER SOURCE(S): CASREACT 120:134689


- AB Synthesis of aryl dichlorophosphates $RC_6H_4OP(O)Cl_2$ ($R = H, 4-O_2N, 2-Cl$) has been carried out using phase-transfer catalysts by aryloxylation of $P(O)Cl_3$ with either the sodium phenoxide salt or the phenol. In either case, the phenoxide ions are carried from the solid or aqueous phase with the help of a phase-transfer catalyst into the organic phase where the reaction with phosphoryl chloride occurs efficiently. A possible mechanism has been proposed.
- CC 29-7 (Organometallic and Organometalloidal Compounds)
- IT 10025-87-3, Phosphoryl chloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(phase-transfer catalyzed aryloxylation of)
- IT 95-57-8, 2-Chlorophenol 100-02-7, 4-Nitrophenol, reactions
108-95-2, Phenol, reactions 139-02-6, Sodium phenoxide
RL: RCT (Reactant); RACT (Reactant or reagent)
(phenoxylation by, of phosphoryl chloride, phase-transfer catalyzed)
- IT 770-12-7P, Phenyl dichlorophosphate 777-52-6P, 4-Nitrophenyl
dichlorophosphate 15074-54-1P, 2-Chlorophenyl dichlorophosphate
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, via phase-transfer catalyzed aryloxylation of phosphoryl chloride)
- IT 10025-87-3, Phosphoryl chloride
RL: RCT (Reactant); RACT (Reactant or reagent)
(phase-transfer catalyzed aryloxylation of)
- RN 10025-87-3 HCPLUS
- CN Phosphoric trichloride (CA INDEX NAME)



- IT 108-95-2, Phenol, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
(phenoxylation by, of phosphoryl chloride, phase-transfer catalyzed)
- RN 108-95-2 HCPLUS
- CN Phenol (CA INDEX NAME)



- IT 770-12-7P, Phenyl dichlorophosphate
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, via phase-transfer catalyzed aryloxylation of phosphoryl chloride)
- RN 770-12-7 HCPLUS
- CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



L46 ANSWER 31 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1994:107749 HCPLUS Full-text
 DOCUMENT NUMBER: 120:107749
 TITLE: Renin inhibitors
 INVENTOR(S): Albright, Jay D.; Sum, Fuk Wah
 PATENT ASSIGNEE(S): American Cyanamid Co., USA
 SOURCE: U.S., 36 pp. cont.-in-part of U.S. Ser. No. 577,175,
 abandoned.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5189023	A	19930223	US 1991-780587	19911022 <--
CA 2050434	A1	19920305	CA 1991-2050434	19910830 <--
JP 04305587	A	19921028	JP 1991-244256	19910830 <--
PRIORITY APPLN. INFO.:			US 1990-577175	B2 19900904 <--
OTHER SOURCE(S):	MARPAT	120:107749		
GI				

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB Peptide-type compds. I (R1 = phosphorus-containing moiety; R2 = CH₂Ph, cyclohexylmethyl, 2-thienylmethyl, indol-3-ylmethyl, 4-methoxybenzyl, naphthylmethyl, C1-6 alkyl; R3 = H or Me; R4 = branched or unbranched C1-8 alkyl, alkylamino, CH₂Ph, cyclohexylmethyl, etc.; R5 H or Me; R6 = C1-6 alkyl, CH₂Ph, cyclohexylmethyl, etc.; W = O or NR₃; Z = O, S, SO, SO₂; p = 1 or 2; q = 0 or 1) were prepared as antihypertensive agents due to their ability to act as renin inhibitors. Thus, L-cyclohexylalanine derivative II (Boc = Me₃CO₂C) was treated with BuLi in THF and then with furan to give a diastereomeric mixture of propanol III, which was reduced by NaBH₄ in THF/MeOH to give (4S)-trans-4-(cyclohexylmethyl)-5-(2-furanyl)-2-oxazolidinone, which was cleaved by 1N NaOH in EtOH to give propanol IV (R7 = H). The latter was coupled with (EtO)₂P(O)-L-Phe-L-Leu-OH to give peptide derivative IV [R7 = (EtO)₂P(O)-L-Phe-L-Leu], which was hydrogenated over Raney Ni in EtOH in a Parr hydrogenator to give peptidyl 4,7-anhydro-1,2,5,6-hepitol derivative V as a mixture of the L-arabino and D-xylo diastereoisomers. V inhibited renin with an IC₅₀ of 2.0 x 10⁻¹⁰ M.

IC ICM A61K037-00

INCL 514019000

CC 34-3 (Amino Acids, Peptides, and Proteins)
 Section cross-reference(s): 1, 29, 33

IT 60-12-8, Phenethyl alcohol 540-51-2, 2-Bromoethanol
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification by, of phosphorus oxychloride)

IT 62485-00-1
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with benzyl alc.)


IT 2524-64-3, Diphenyl chlorophosphate
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with (leucylamino)anhydrotetrahydroxyheptitol derivative)

IT 770-12-7, Phenyl dichlorophosphate
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with carbamate derivative)

IT 60-12-8, Phenethyl alcohol
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification by, of phosphorus oxychloride)

RN 60-12-8 HCPLUS


CN Benzeneethanol (CA INDEX NAME)



IT 2524-64-3, Diphenyl chlorophosphate
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with (leucylamino)anhydrotetrahydroxyheptitol derivative)

RN 2524-64-3 HCPLUS


CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 770-12-7, Phenyl dichlorophosphate
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with carbamate derivative)

RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



L46 ANSWER 32 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1993:580524 HCPLUS Full-text
 DOCUMENT NUMBER: 119:180524
 TITLE: Preparation of aryl chlorophosphates
 INVENTOR(S): Isoda, Yoichiro; Matsuishi, Kazuya
 PATENT ASSIGNEE(S): Honshu Chemical Ind, Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.

CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05132491	A	19930528	JP 1991-293991	19911111 <--
JP 2999036	B2	20000117		

PRIORITY APPLN. INFO.: JP 1991-293991 19911111 <--

OTHER SOURCE(S): CASREACT 119:180524

AB The title compds. are prepared by treating phenols optionally ring-substituted by alkyl, aryl, or halo with POCl_3 in the presence of quaternary ammonium salt catalysts. A mixture of POCl_3 , PhOH, and Me_4NCl at $95\text{--}110^\circ$ for 5 h gave 91.0% PhOP(O)Cl_2 .

IC ICM C07F009-14

CC 25-10 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)

IT 10025-87-3, Phosphoryl chloride

RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification by, of phenols, quaternary ammonium salt catalysts in)

IT 92-69-3, p-Phenylphenol 95-48-7, reactions 95-87-4, 2,5-Xylenol

98-54-4, p-tert-Butylphenol 106-48-9, p-Chlorophenol 108-95-2,

Phenol, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification of, with phosphoryl chloride, quaternary ammonium salt catalysts in)

IT 770-12-7P, Phenyl dichlorophosphate 772-79-2P, p-Chlorophenyl

dichlorophosphate 878-17-1P 2524-64-3P, Diphenyl

chlorophosphate 6630-15-5P 15074-53-0P 18351-36-5P 38135-31-8P

55231-79-3P 58377-72-3P 77014-57-4P 115188-31-3P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of, from phenols and phosphoryl chloride, catalysts in)


IT 10025-87-3, Phosphoryl chloride

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification by, of phenols, quaternary ammonium salt catalysts in)

RN 10025-87-3 HCPLUS

CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, Phenol, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)


(esterification of, with phosphoryl chloride, quaternary ammonium salt catalysts in)

RN 108-95-2 HCPLUS


CN Phenol (CA INDEX NAME)



IT 770-12-7P, Phenyl dichlorophosphate 2524-64-3P, Diphenyl chlorophosphate
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of, from phenols and phosphoryl chloride, catalysts in)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 ANSWER 33 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1993:251073 HCPLUS Full-text
 DOCUMENT NUMBER: 118:251073
 TITLE: Stable phospholipid having cell membrane-like mobility
 for preparing liposomes
 INVENTOR(S): Mori, Hideto; Nishikawa, Naoyuki; Nemori, Ryoichi
 PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 13 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05023576	A	19930202	JP 1991-186418	19910725 <--
PRIORITY APPLN. INFO.:			JP 1991-186418	19910725 <--

OTHER SOURCE(S): MARPAT 118:251073

AB Phospholipids containing (1) a hydrophobic terpene chain having multiple Me groups, (2) a glycerol structure, and (3) an ester linkage with a choline, H, ethanolamine, serine, or myo-inositol group are prepared for liposome production for use in the medical, pharmaceutical, or cosmetic fields.


Diphytanoylphosphatidylcholine (I) was prepared from (7R,11R)-phytol through reduction, oxidation, and esterification with glycerophosphatidylcholine. Liposomes were prepared with I and dipalmitoylphosphatidylcholine, and tested for leakage and toxicity.

IC ICM B01J013-02
 ICS A61K009-127; A61K047-24; C07F009-10
 CC 9-15 (Biochemical Methods)
 Section cross-reference(s): 62, 63
 IT 100-79-8, 1,2-o-Isopropylideneglycerol 150-86-7
 770-12-7, Phenyl phosphorodichloride 773-64-8,
 2,4,6-Trimethylbenzenesulfonyl chloride 1738-71-2, Serine benzyl ester
 2524-64-3, Diphenyl phosphorochloride 26690-80-2 56552-80-8
 147783-36-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, in phospholipid preparation for stable liposomes having cell membrane-like mobility)
 IT 100-79-8, 1,2-o-Isopropylideneglycerol 150-86-7
 770-12-7, Phenyl phosphorodichloride 2524-64-3,
 Diphenyl phosphorochloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, in phospholipid preparation for stable liposomes having cell membrane-like mobility)
 RN 100-79-8 HCPLUS
 CN 1,3-Dioxolane-4-methanol, 2,2-dimethyl- (CA INDEX NAME)




RN 150-86-7 HCPLUS
 CN 2-Hexadecen-1-ol, 3,7,11,15-tetramethyl-, (2E,7R,11R)- (CA INDEX NAME)

Absolute stereochemistry.
 Double bond geometry as shown.




RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 ANSWER 34 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1993:236420 HCPLUS Full-text
 DOCUMENT NUMBER: 118:236420
 TITLE: Manufacture of high-purity diaryl chlorophosphates
 INVENTOR(S): Takada, Masaro; Uno, Yukimitsu; Kato, Mutsuno
 PATENT ASSIGNEE(S): Nippon Chemical Ind, Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05001084	A	19930108	JP 1991-173420	19910619 <--
JP 2985980	B2	19991206		

PRIORITY APPLN. INFO.: MARPAT 118:236420 1991-173420 19910619 <--

OTHER SOURCE(S): MARPAT 118:236420

AB Title compds. $(\text{ArO})_2\text{P(O)Cl}$ (I; Ar = aryl), useful as intermediates for agrochems. and pharmaceuticals, are manufactured in three steps by treating R_1OH (R_1 = C1-4 alkyl) with POCl_3 to give $(\text{R}_1\text{O})\text{P(O)Cl}_2$ (II) in the first step, treating II with a solution of HOAr (Ar = aryl) or its metal salt to give $(\text{R}_1\text{O})\text{P(O)(OAr)}_2$ (III) in the second step, and treating III with PCl_5 to give I. The byproduct POCl_3 in the third step is reused in the first step, the reaction in the third step is carried out in the presence of an onium salt as catalyst, and I is purified with a mixture of hydrocarbon and halohydrocarbon. A mixture of III and the byproduct diaryl phosphates in the second step is treated with PCl_5 to give I and the hydrolysis product of III (namely, diaryl phosphates) is treated with PCl_5 to give I. Thus, EtOH was treated with POCl_3 to give Et dichlorophosphate (IV) with 98.2% purity, which was treated with 2,4-dichlorophenol in an aqueous NaOH solution to give an oil containing Et bis(2,4-dichlorophenyl) phosphate and 10% bis(2,4-dichlorophenyl) phosphate. The oil was treated with PCl_5 in the presence of trioctylmethylammonium chloride to give bis(2,4-dichlorophenyl) chlorophosphate with 85.2% purity in 96.3% yield based on IV.

IC ICM C07F009-14

CC 45-4 (Industrial Organic Chemicals, Leather, Fats, and Waxes)
 Section cross-reference(s): 25

IT 2524-64-3P, O,O-Diphenyl chlorophosphate

RL: IMF (Industrial manufacture); PREP (Preparation)
 (preparation of, three-step, from alc. and phenol and phosphorus oxychloride
 and phosphorus pentachloride)


IT 106-48-9, p-Chlorophenol 108-39-4, m-Cresol, reactions 108-95-2
 , Phenol, reactions 120-83-2, 2,4-Dichlorophenol
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with Et dichlorophosphate)

IT 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with alcs.)

IT 2524-64-3P, O,O-Diphenyl chlorophosphate
 RL: IMF (Industrial manufacture); PREP (Preparation)
 (preparation of, three-step, from alc. and phenol and phosphorus
 oxychloride
 and phosphorus pentachloride)

RN 2524-64-3 HCPLUS


CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with Et dichlorophosphate)

RN 108-95-2 HCPLUS


CN Phenol (CA INDEX NAME)



IT 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with alcs.)

RN 10025-87-3 HCPLUS

CN Phosphoric trichloride (CA INDEX NAME)



L46 ANSWER 35 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1993:168693 HCPLUS Full-text
 DOCUMENT NUMBER: 118:168693
 TITLE: Preparation of branched alkyl phosphates
 INVENTOR(S): Nishikawa, Naoyuki; Mori, Hideto
 PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 5 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04282392	A	19921007	JP 1991-45042	19910311 <--
JP 2614149	B2	19970528		
US 5245070	A	19930914	US 1992-847186	19920306 <--

PRIORITY APPLN. INFO.:

OTHER SOURCE(S): MARPAT 118:168693

AB (R1O)P(O)(OR2)(OR3) (R1-3 = alkyl, aryl, H; ≥1 of R1-3 = 3,7,11,15-tetramethylhexadecyl, 3,7,11-trimethyldodecyl, or 3,7-dimethyloctyl), which are useful as surfactants, lubricants, dispersing agents, emulsifiers, etc., are prepared A solution of 200 g (7R,11R)-phytol in EtOH was treated with H in the presence of Pt oxide at room temperature for 6 h to give 201 g 3RS,7R,11R,15-tetramethylhexadecanol, which (8.94 g) was stirred with 1.53 g POCl₃, Et₃N, and N,N-dimethylaminopyridine in CH₂Cl₂ overnight to give 6.8 g tri(3RS,7R,11R,15-tetramethylhexadecyl) phosphate.

IC ICM C07F009-09

CC 23-8 (Aliphatic Compounds)

IT 770-12-7, Phenyl phosphorodichloride 2524-64-3,
 Diphenyl phosphorochloride 10025-87-3, Phosphoryl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with branched alcs.)


IT 106-24-1, Geraniol 150-86-7 4602-84-0,
 Farnesol

RL: RCT (Reactant); RACT (Reactant or reagent)
 (hydrogenation of)

IT 770-12-7, Phenyl phosphorodichloride 2524-64-3,
 Diphenyl phosphorochloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with branched alcs.)


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 106-24-1, Geraniol 150-86-7 4602-84-0,
 Farnesol

RL: RCT (Reactant); RACT (Reactant or reagent)
(hydrogenation of)

RN 106-24-1 HCPLUS

CN 2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)- (CA INDEX NAME)

Double bond geometry as shown.




RN 150-86-7 HCPLUS

CN 2-Hexadecen-1-ol, 3,7,11,15-tetramethyl-, (2E,7R,11R)- (CA INDEX NAME)


Absolute stereochemistry.

Double bond geometry as shown.



RN 4602-84-0 HCPLUS

CN 2,6,10-Dodecatrien-1-ol, 3,7,11-trimethyl- (CA INDEX NAME)



L46 ANSWER 36 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1992:611795 HCPLUS Full-text

DOCUMENT NUMBER: 117:211795

TITLE: Electron demand in the transition state of the cyclopropylidene to allene ring opening

AUTHOR(S): Warner, Philip; Sutherland, Robert

CORPORATE SOURCE: Dep. Chem., Iowa State Univ., Ames, IA, 50011, USA

SOURCE: Journal of Organic Chemistry (1992), 57(23), 6294-300

CODEN: JOCEAH; ISSN: 0022-3263

DOCUMENT TYPE: Journal


LANGUAGE: English

OTHER SOURCE(S): CASREACT 117:211795


AB The electronic structure of the transition state for the cyclopropylidene to allene conversion has been probed. The methodol. involved the relative rates of ring opening vs. trapping by MeOH for a series of variously substituted 2,3-diarylcyclopropylidenes. With the assumption that the rate of trapping was unaffected by substituents, a Hammett correlation was constructed. The neg. value (-0.72) for ρ indicated that the carbenic center attracts electron d. in the ring-opening transition state, much like the cyclopropyl cation to allyl cation transition state. Temperature-dependent studies showed that the

observed preference for ring opening was driven by entropy factors. Also, using reasonable ests. for the close to diffusion-controlled trapping activation enthalpies, the derived enthalpies for ring opening were in close agreement with the best theor. values.


- CC 22-5 (Physical Organic Chemistry)
 IT 2524-64-3P, Diphenylphosphoryl chloride
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and reaction of, with sodium azide)
 IT 10025-87-3, Phosphoryl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol)
 IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphorous oxychloride)
 IT 2524-64-3P, Diphenylphosphoryl chloride
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and reaction of, with sodium azide)
 RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



- IT 10025-87-3, Phosphoryl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol)
 RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)





- IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphorous oxychloride)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



L46 ANSWER 37 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1992:21465 HCPLUS Full-text
 DOCUMENT NUMBER: 116:21465
 TITLE: Preparation N-phosphinyl di- and tripeptides as renin inhibitors
 INVENTOR(S): Albright, Jay Donald; Sum, Fuk Wah; Howell, Charles Frederick
 PATENT ASSIGNEE(S): American Cyanamid Co., USA
 SOURCE: Eur. Pat. Appl., 87 pp.
 CODEN: EPXXDW
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 376040	A2	19900704	EP 1989-122840	19891211 <--
EP 376040	A3	19900912		
R: AT, BE, CH, DE, ES, FR, GB, GR, IT, LI, NL, SE				
CA 2006357	A1	19900627	CA 1989-2006357	19891221 <--
NO 8905233	A	19900628	NO 1989-5233	19891222 <--
AU 8947213	A	19900920	AU 1989-47213	19891222 <--
DK 8906618	A	19900927	DK 1989-6618	19891222 <--
JP 02215798	A	19900828	JP 1989-339881	19891227 <--
ZA 8909926	A	19900926	ZA 1989-9926	19891227 <--
PRIORITY APPLN. INFO.:			US 1988-289899	A 19881227 <--
OTHER SOURCE(S):	MARPAT	116:21465		
GI				



- AB The title compds. [I; R1 = (substituted) phosphinyl, Q, Q1, etc.; m = 2-4; R2 = PhCH₂, 2-thienylmethyl, etc.; R3, R5 = H, Me; R4 = 4-imidazolylmethoxy, 4-imidazolylthio, etc.; R6 = alkyl, PhCH₂, cyclohexylmethyl, etc.; A = (substituted) heterocyclyl] were prepared H-Phe-Leu-NHCH[CH₂CHMe₂]CHQ₂OH [Q₂ = 2-thiazolyl] was reacted with (EtO)₂P(O)Cl in CH₂Cl₂ containing Et₃N To give (EtO)₂P(O)-Phe-Leu- NHCH[CH₂CHMe₂]CHQ₂OH. This inhibited renin with IC₅₀ = 4.1 + 10⁻⁸M.
- IC ICM C07K005-06
 ICS C07K005-08; C07K005-02; A61K037-64
- CC 34-3 (Amino Acids, Peptides, and Proteins)
 Section cross-reference(s): 1
- IT 100-49-2, Cyclohexanemethanol 53363-89-6
 RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, in preparation of renin inhibitor)

IT 63-91-2, Phenylalanine, reactions 75-77-4, Trimethylsilyl chloride, reactions 78-83-1, Isobutanol, reactions 98-88-4, Benzoyl chloride 100-51-6, Benzyl alcohol, reactions 108-93-0, Cyclohexanol, reactions 109-04-6, 2-Bromopyridine 110-02-1, Thiophene 288-88-0, 1H-1,2,4-Triazole 298-12-4 527-72-0, 2-Thiophenecarboxylic acid 762-04-9, Diethyl phosphite 770-12-7, Phenyl dichlorophosphate 814-49-3, Diethyl phosphorochloridate 1117-97-1 1161-13-3 2021-58-1 2419-35-4 2488-15-5 2524-64-3, Diphenyl phosphorochloridate 3034-53-5, 2-Bromothiazole 3257-18-9 3459-92-5, Benzyl carbonate 4313-73-9 5815-08-7 6719-79-5 13139-15-6 13734-34-4 15761-39-4 16357-59-8 17176-77-1, Dibenzyl phosphite 17791-52-5 18162-48-6, tert-Butyldimethylsilyl chloride 27527-05-5 35899-43-5 36896-17-0, Acetamidine acetate 58521-45-2 78191-00-1 79265-30-8, 2-(Trimethylsilyl)thiazole 87694-50-6 101226-33-9 115766-13-7 133660-10-3 133660-55-6

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, in preparation of renin inhibitors)


IT 100-49-2, Cyclohexanemethanol

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, in preparation of renin inhibitor)

RN 100-49-2 HCPLUS

CN Cyclohexanemethanol (CA INDEX NAME)




IT 78-83-1, Isobutanol, reactions 100-51-6, Benzyl alcohol, reactions 770-12-7, Phenyl dichlorophosphate 2524-64-3, Diphenyl phosphorochloridate

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, in preparation of renin inhibitors)

RN 78-83-1 HCPLUS

CN 1-Propanol, 2-methyl- (CA INDEX NAME)




RN 100-51-6 HCPLUS

CN Benzenemethanol (CA INDEX NAME)




RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 ANSWER 38 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1991:122705 HCPLUS Full-text
 DOCUMENT NUMBER: 114:122705
 TITLE: Preparation of bis(aminophenyl) phosphates and analogs
 as organophosphorus pesticides
 INVENTOR(S): Frommer, Moshe A.; Segall, Yoffi; Shirin, Ezra
 PATENT ASSIGNEE(S): Ramot Purotech Ltd., Israel
 SOURCE: U.S., 6 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4948908	A	19900814	US 1987-73447	19870714 <--
PRIORITY APPLN. INFO.:			IL 1986-79423	A 19860715 <--
OTHER SOURCE(S):	MARPAT	114:122705		
GI				




AB Title compds. (R1Y)2P(:Z)ZR2 [I; Z = independently O or S; Y = O, S, NR3; R1 = certain aminophenyl groups or their derivs. or quaternary salts; R2 = H, (substituted) aryl, CH2CO2R3, CH2CONH3, CH:CHCO2R3, CH:CHCONHR!3; R3 = H, alkyl] were prepared as pesticides. Some I can also be polymerized to form

ion exchanges for extraction of heavy metals such as U (no data). For example, reaction of 4-O2NC6H4ONa with POCl₃ at ice-salt temperature gave 45% 4-O2NC6H4OP(O)Cl₂ (may decompose violently on distillation); this was esterified with 3-Me₂NC6H4OH (Et₃N, Et₂O, reflux) and the product quaternized (MeI, Me₂CO, room temperature) to give title phosphate II. At 5.5 + 10-5M and pH 7 in phosphate buffer, II reduced activity of eel acetylcholinesterase to 85% within 30 s.


IC ICM C07F009-40
 INCL 558193000
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 Section cross-reference(s): 5, 35
 IT 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (condensation of, with phenol or nitrophenolate)
 IT 108-95-2, Phenol, reactions 824-78-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (condensation of, with phosphorus oxychloride)
 IT 770-12-7P, Phenyl phosphate dichloride
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and condensation of, with nitroaniline or nitrophenylol)
 IT 10025-87-3, Phosphorus oxychloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (condensation of, with phenol or nitrophenolate)
 RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (condensation of, with phosphorus oxychloride)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



IT 770-12-7P, Phenyl phosphate dichloride
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and condensation of, with nitroaniline or nitrophenylol)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




L46 ANSWER 39 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1990:480425 HCPLUS Full-text
 DOCUMENT NUMBER: 113:80425
 TITLE: Synthesis of diphenyl methyl phosphate and diphenyl ethyl phosphate and their flame retardancy on PET [poly(ethylene terephthalate)] fabrics
 AUTHOR(S): Cho, Hwan; Lee, Kwang Woo; Cho, In Sul; Huh, Man Woo;
 Cho, Yong Suk; Chang, Du Sang; Kim, Soo Chang
 CORPORATE SOURCE: Coll. Eng., Yeungnam Univ., Taegu, S. Korea
 SOURCE: Journal of the Korean Fiber Society (1989), 26(5), 428-36
 CODEN: HSKCDQ; ISSN: 0253-6420
 DOCUMENT TYPE: Journal
 LANGUAGE: Korean
 AB An exptl. study for the development of technol. for durable flame-retardant finishing of PET fabrics was presented. In the synthesis of Ph₂MePO₄ (I) and Ph₂EtPO₄ (II), which served as flame retardants for PET, the process using N current to expel HCl gas in the reaction system is practicable without the use of solns. such as pyridine or tertiary amine. I and II showed good flame retardancy effects. PET fabrics treated with I and II were durable to repeated washings, and wet cure gave softer touch than dry cure.
 CC 40-9 (Textiles and Fibers)
 IT 10025-87-3, Phosphoryl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phenol)
 IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phosphoryl chloride)
 IT 2524-64-3P, Diphenyl chlorophosphate
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and esterification of, with ethanol or methanol)
 IT 10025-87-3, Phosphoryl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phenol)
 RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, Phenol, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phosphoryl chloride)

RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



IT 2524-64-3P, Diphenyl chlorophosphate
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and esterification of, with ethanol or methanol)
 RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




L46 ANSWER 40 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1989:135656 HCPLUS Full-text
 DOCUMENT NUMBER: 110:135656
 TITLE: Preparation of saccharide phosphates and their esters
 as drugs for humans and animals
 INVENTOR(S): Hayauchi, Yutaka; Lockhoff, Oswald; Babczinski, Peter;
 Petzinna, Dieter; Bischoff, Hilmar
 PATENT ASSIGNEE(S): Bayer A.-G., Fed. Rep. Ger.
 SOURCE: Ger. Offen., 21 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3631004	A1	19880324	DE 1986-3631004	19860912 <--
EP 259752	A2	19880316	EP 1987-112718	19870901 <--
R: AT, BE, CH, DE, ES, FR, GB, IT, LI, NL, SE				
JP 63088194	A	19880419	JP 1987-223186	19870908 <--
PRIORITY APPLN. INFO.:			DE 1986-3631004	A 19860912 <--

OTHER SOURCE(S): CASREACT 110:135656; MARPAT 110:135656
 AB R3OP(O)(OR2)OR1 [I; R1 = H, (un)substituted (un)saturated alkyl, etc.; R2 = H, (un)substituted aryl, protecting group, cation; R3 = (protected) saccharide residue], useful as drugs, especially as antimicrobial agents (no data) for humans and animals, are prepared. A mixture of Ph phosphorodichloridate, MeOH, and pyridine in dry hexane was stirred at 0° for 1 h and then filtered, and filtrate concentrated, and the residue reacted with 1,2:3,4-di-O-isopropylidene- α -D-galactopyranose in pyridine to give 70% I (R1 = Me; R2 = Ph; R3 = 1,2:3,4-di-O-isopropylidene- α -D-galactopyranos-6-yl).


IC ICM C07H011-04
 ICS A61K031-70; A23K001-16
 ICA C07H009-04
 CC 33-9 (Carbohydrates)
 Section cross-reference(s): 1
 IT 64-17-5, Ethanol, reactions 67-56-1, Methanol, reactions
 67-63-0, 2-Propanol, reactions 71-36-3, 1-Butanol,
 reactions 78-83-1, reactions 96-41-3, Cyclopentanol
 100-79-8 107-18-6, 2-Propen-1-ol, reactions 108-93-0,
 Cyclohexanol, reactions 112-72-1, 1-Tetradecanol
 112-92-5, 1-Octadecanol 540-51-2 582-52-5 770-12-7
 772-79-2 777-52-6 1623-08-1 2524-64-3 4064-06-6
 13929-83-4 15074-54-1 119646-47-8
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, in preparation of saccharide phosphates)
 IT 64-17-5, Ethanol, reactions 67-56-1, Methanol, reactions
 67-63-0, 2-Propanol, reactions 71-36-3, 1-Butanol,
 reactions 78-83-1, reactions 100-79-8 107-18-6
 , 2-Propen-1-ol, reactions 112-72-1, 1-Tetradecanol
 112-92-5, 1-Octadecanol 770-12-7 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, in preparation of saccharide phosphates)
 RN 64-17-5 HCPLUS
 CN Ethanol (CA INDEX NAME)



RN 67-56-1 HCPLUS
 CN Methanol (CA INDEX NAME)




RN 67-63-0 HCPLUS
 CN 2-Propanol (CA INDEX NAME)




RN 71-36-3 HCPLUS
 CN 1-Butanol (CA INDEX NAME)




RN 78-83-1 HCAPLUS
 CN 1-Propanol, 2-methyl- (CA INDEX NAME)




RN 100-79-8 HCAPLUS
 CN 1,3-Dioxolane-4-methanol, 2,2-dimethyl- (CA INDEX NAME)




RN 107-18-6 HCAPLUS
 CN 2-Propen-1-ol (CA INDEX NAME)




RN 112-72-1 HCAPLUS
 CN 1-Tetradecanol (CA INDEX NAME)




RN 112-92-5 HCAPLUS
 CN 1-Octadecanol (CA INDEX NAME)




RN 770-12-7 HCAPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCAPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




L46 ANSWER 41 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1988:167574 HCAPLUS Full-text
 DOCUMENT NUMBER: 108:167574
 TITLE: New phosphorylating agents for general synthesis of mixed phosphate esters
 AUTHOR(S): Nagamatsu, Tomohisa; Kunieda, Takehisa
 CORPORATE SOURCE: Fac. Pharm. Sci., Kumamoto Univ., Kumamoto, 862, Japan
 SOURCE: Tetrahedron Letters (1987), 28(21), 2375-8
 CODEN: TELEAY; ISSN: 0040-4039
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 108:167574
 GI




AB An effective procedure has been developed for the general synthesis of mixed alkyl or aryl phosphate esters by metal-catalyzed phosphorylation of alcs. with aryl bis(2-oxo-3-oxazolinyl)phosphinate. Among metallic acetylacetones examined as catalysts, the zirconium complex was the most effective as in activity order of Zr(IV) > Ce(III) > Zn(II) > Mn(III) > Mn(II)-complexes. Thus, phosphorylation of BuOH with R₂P(O)(OR₁) (R₁ = 4-ClC₆H₄) catalyzed by Mn(acac)₃ (acac = acetylacetone) gave 86% RP(O)(OR₁)(OBu), which upon treatment with PhCH₂CH₂OH in presence of Zr(acac)₄ gave 84% (R₁O)P(O)(OBu)(OCH₂CH₂Ph).
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 ST oxazolinylphosphonate phosphorylating agent alc; bisoxazolinyl phosphinate phosphorylating agent alc; metal acetylacetone complex catalyzed phosphorylation; zirconium acetylacetone complex catalyzed phosphorylation; manganese acetylacetone complex catalyzed phosphorylation; phosphate ester mixed
 IT Phosphorylation catalysts
 (metal acetylacetones, for alcs.)
 IT Phosphorylation, synthetic
 (of alcs. with oxazolinylphosphinates, mixed phosphate esters from)
 IT 14024-58-9, Bis(acetylacetonato)manganese 14024-63-6,
 Bis(acetylacetonato)zinc 14284-89-0, Tris(acetylacetonato)manganese


15653-01-7, Tris(acetylacetonato)cerium 17501-44-9,
 Tetrakis(acetylacetonato)zirconium
 RL: CAT (Catalyst use); USES (Uses)
 (catalyst, for phosphorylation of alcs.)
 IT 770-12-7 772-79-2 2524-64-3 15074-54-1
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (condensation of, with oxazolones)
 IT 78605-38-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (phosphorylation by, of alcs., catalyst for)
 IT 60-12-8 96-41-3, Cyclopentyl alcohol 100-79-8
 107-18-6, reactions 110-63-4, reactions 504-63-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (phosphorylation of, catalyst for)
 IT 67-56-1, reactions 71-36-3, reactions 78-92-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (phosphorylation of, with oxazolinylphosphinates, catalyst for)
 IT 113813-41-5P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and phosphorylation by, of alcs.)
 IT 85328-97-8P 113813-21-1P 113813-22-2P 113813-23-3P 113813-28-8P
 113813-30-2P 113835-21-5P 113835-22-6P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and phosphorylation by, of alcs., catalyst for)
 IT 770-12-7 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (condensation of, with oxazolones)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 60-12-8 100-79-8 107-18-6, reactions
 504-63-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (phosphorylation of, catalyst for)
 RN 60-12-8 HCPLUS
 CN Benzeneethanol (CA INDEX NAME)




RN 100-79-8 HCAPLUS
 CN 1,3-Dioxolane-4-methanol, 2,2-dimethyl- (CA INDEX NAME)




RN 107-18-6 HCAPLUS
 CN 2-Propen-1-ol (CA INDEX NAME)



RN 504-63-2 HCAPLUS
 CN 1,3-Propanediol (CA INDEX NAME)




IT 67-56-1, reactions 71-36-3, reactions 78-92-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (phosphorylation of, with oxazolinylphosphinates, catalyst for)
 RN 67-56-1 HCAPLUS
 CN Methanol (CA INDEX NAME)



RN 71-36-3 HCAPLUS
 CN 1-Butanol (CA INDEX NAME)




RN 78-92-2 HCAPLUS
 CN 2-Butanol (CA INDEX NAME)




L46 ANSWER 42 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1985:523594 HCPLUS Full-text
 DOCUMENT NUMBER: 103:123594
 TITLE: Kinetics of formation of triphenyl phosphate:
 phase-transfer catalysis in a liquid-liquid system
 AUTHOR(S): Krishnakumar, V. K.; Sharma, Man Mohan
 CORPORATE SOURCE: Dep. Chem. Technol., Univ. Bombay, Bombay, 400 019,
 India
 SOURCE: Industrial & Engineering Chemistry Process Design and
 Development (1985), 24(4), 1293-7
 CODEN: IEPDAW; ISSN: 0196-4305
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 103:123594


AB The kinetics of reaction of $(\text{PhO})_2\text{P}(\text{O})\text{Cl}$ with NaOPh , to give $(\text{PhO})_3\text{PO}$, was examined in an organic-aqueous two-phase system using a variety of phase transfer catalysts. The reaction occurs in the organic phase and diffusional factors were important. The reaction was first order in $(\text{PhO})_2\text{P}(\text{O})\text{Cl}$ and the phase-transfer catalyst (Aliquat 336). The hydrodynamic factors were unimportant and the system conformed to the fast-pseudo-first-order reaction regime. Aliquat 336 gave the highest rate of extraction among the catalysts studied. An Aliquat 336 concentration of $1.42 + 10^{-6}$ mol/cm³ in the organic phase enhanced the rate of extraction by a factor of 90.
 CC 29-7 (Organometallic and Organometalloidal Compounds)
 Section cross-reference(s): 22
 IT 2524-64-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and reaction of, with sodium phenoxide under phase-transfer
 conditions, kinetics of)
 IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol)
 IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphoryl chloride)
 IT 2524-64-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and reaction of, with sodium phenoxide under phase-transfer
 conditions, kinetics of)
 RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol)
 RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphoryl chloride)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



L46 ANSWER 43 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1985:454403 HCPLUS Full-text
 DOCUMENT NUMBER: 103:54403
 TITLE: 4-Amino-4-dehydroxy derivatives of efrotomycin and
 related compounds
 INVENTOR(S): Linn, Bruce O.; Lusi, Aino
 PATENT ASSIGNEE(S): Merck and Co., Inc., USA
 SOURCE: U.S., 10 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4515783	A	19850507	US 1983-544350	19831024 <--
PRIORITY APPLN. INFO.:			US 1983-544350	19831024 <--
OTHER SOURCE(S):	MARPAT	103:54403		
GI				




- AB Efrotomycin derivs. I [broken line = double or single bond; R1 = H, Me; R2 = H, Q; R3 = H, OH; R4, R5 = independently H, (un)substituted alkyl, Ph, (un)substituted phenylalkyl, alkoxy carbonyl, phenoxy carbonyl, (un)substituted aminocarbonyl, dialkoxyphosphinyl, etc.; or NR4R5 = (un)substituted heterocyclyl], useful as antibiotics and animal growth promoters (no data), were prepared. Thus efrotomycin-4-O-sodium, obtained from efrotomycin and NaOMe, was treated with PhOP(O)Cl₂ in DMF to give efrotomycin-4-O-phenylchlorophosphate, which was treated with NH₃ in DMF to give 4-amino-4-dehydroxyefrotomycin.
- IC ICM A61K031-71
ICS C07H003-06
- INCL 514027000
- CC 33-3 (Carbohydrates)
Section cross-reference(s): 1, 17, 26
- IT 64-04-0 74-89-5, reactions 75-31-0, reactions 100-46-9, reactions
108-00-9 108-91-8, reactions 109-73-9, reactions 109-85-3
110-89-4, reactions 110-91-8, reactions 111-42-2, reactions
124-40-3, reactions 141-43-5, reactions 1668-10-6 2869-34-3
6011-14-9 7483-59-2 18542-42-2 20781-20-8 22483-09-6 41661-47-6
59934-28-0
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with efrotomycin di-Ph phosphate)
- IT 770-12-7 2524-64-3
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with efrotomycin sodium salt)
- IT 111-42-2, reactions 141-43-5, reactions
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with efrotomycin di-Ph phosphate)
- RN 111-42-2 HCPLUS
- CN Ethanol, 2,2'-iminobis- (CA INDEX NAME)



RN 141-43-5 HCPLUS

CN Ethanol, 2-amino- (CA INDEX NAME)




IT 770-12-7 2524-64-3

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with efrotomycin sodium salt)


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 ANSWER 44 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1983:612310 HCPLUS Full-text

DOCUMENT NUMBER: 99:212310

TITLE: β -Lactams. XI. Synthesis of N-phosphorylated mono- and bicyclic β -lactams

AUTHOR(S): Just, George; Dugat, Denise; Liu, Whi Yu

CORPORATE SOURCE: Dep. Chem., McGill Univ., Montreal, QC, H3A 2K6, Can.

SOURCE: Canadian Journal of Chemistry (1983), 61(8), 1730-5


CODEN: CJCHAG; ISSN: 0008-4042

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 99:212310

GI



AB N-Phosphorylated mono- and bicyclic β -lactams I, II ($R = CH_2Ph, H, Me$), and III ($R_1 = R_2 = CH_2Ph, H, Me, NHEt; R_1 = H, R_2 = K$) have been synthesized from appropriately substituted monocyclic β -lactams.

CC 26-5 (Biomolecules and Their Synthetic Analogs)
Section cross-reference(s): 29

IT 770-12-7
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with aminopropanol)

IT 538-37-4 2524-64-3
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with azetidinone derivs.)


IT 156-87-6
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with dichlorophosphate)

IT 115-20-8
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with phosphorus oxychloride and aminopropanol)

IT 770-12-7
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with aminopropanol)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



IT 2524-64-3
RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with azetidinone derivs.)

RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 156-87-6

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with dichlorophosphate)

RN 156-87-6 HCPLUS

CN 1-Propanol, 3-amino- (CA INDEX NAME)




IT 115-20-8

RL: RCT (Reactant); RACT (Reactant or reagent)
(reaction of, with phosphorus oxychloride and aminopropanol)

RN 115-20-8 HCPLUS

CN Ethanol, 2,2,2-trichloro- (CA INDEX NAME)



L46 ANSWER 45 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1983:179499 HCPLUS Full-text

DOCUMENT NUMBER: 98:179499

TITLE:

[Z]-4-Alkylidene-1,3,2-benzodioxaphosphorinane
2-oxides from stereospecific cyclization of
2-alkylketophenyl phosphonates and phosphates

AUTHOR(S): Tawata, Shinkichi; Eto, Masayoshi; Casida, John E.

CORPORATE SOURCE: Dep. Entomol. Sci., Univ. California, Berkeley, CA,
94720, USA


SOURCE: Bioorganic Chemistry (1982), 11(4), 457-62

CODEN: BOCMBM; ISSN: 0045-2068

DOCUMENT TYPE: Journal


LANGUAGE: English

GI




AB The title compds. (I, R = Ph, PhO; R1 = H, Me, Et) were prepared in 48-70% by cyclizing (*o*-R1CH₂COC₆H₄O)₂P(O)Ph and *o*-R1CH₂COC₆H₄OP(O)(OPh)₂ at 70° in MeCN containing K₂CO₃. The Z isomer is exclusively formed with higher alkylidene derivs. Metabolically formed 4-alkylidene- and 4-methyl-1,3,2-benzodioxaphosphorinane 2-oxides may contribute to the biol. activity of 2-ethylphenylphosphorus compds.


CC 29-7 (Organometallic and Organometalloidal Compounds)
 IT 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with azophenols)
 IT 90-01-7 62019-23-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with dichlorophosphine oxides)
 IT 770-12-7 824-72-6
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenols)
 IT 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with azophenols)
 RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 90-01-7
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with dichlorophosphine oxides)
 RN 90-01-7 HCPLUS
 CN Benzenemethanol, 2-hydroxy- (CA INDEX NAME)



IT 770-12-7
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenols)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




L46 ANSWER 46 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1983:22309 HCPLUS Full-text
 DOCUMENT NUMBER: 98:22309
 TITLE: Dental fillings and bone substitutes containing

PATENT ASSIGNEE(S): organophosphorus compounds
 SOURCE: Sankin Industry Co., Ltd., Japan
 Jpn. Kokai Tokkyo Koho, 13 pp.
 CODEN: JKXXAF

DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 57154114	A	19820922	JP 1981-39003	19810317 <--
JP 04018866	B	19920327		
PRIORITY APPLN. INFO.:			JP 1981-39003	19810317 <--
GI				



AB Dental fillings and bone substitutes with high mech. strength contain organophosphorus compds. The synthesis of these compds. is described. A dental filling was prepared by mixing powdered quartz with a pH 9-9.8 (NaOH) solution of γ -methacryloxypropyltrimethoxysilane, and drying. The product was mixed with colloidal silica and a resin binder, which was a mixture of I [83953-10-0] and $(\text{CH}_2:\text{CHCO}_2\text{CH}_2\text{CH}_2\text{O})_3\text{P}:\text{O}$ [35057-49-9] (7:3). This paste was divided in 2 portions: one was mixed with N,N'-dimethyl-p-toluidine and p-tolylsulfonylhydrazine, and the other with Bz₂O₂. Mixing the portions produced a dental filling with phys. properties (stretch, compression, and bending strengths) better than those of a control filling prepared from bisphenol A-diglycidyl dimethacrylate instead of the P compds.

IC A61K006-02; A61F001-00

CC 63-7 (Pharmaceuticals)

Section cross-reference(s): 29

IT 770-12-7P 15074-54-1P 24802-03-7P 82504-60-7P 83953-04-2P

RL: PREP (Preparation)
 (preparation of, and reaction with hydroxyethyl methacrylate)

IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with acrylate derivs.)

IT 80-05-7, reactions 95-48-7, reactions 95-57-8 98-54-4
 108-95-2, reactions 132-86-5 135-19-3, reactions 1965-09-9
 4081-02-1 6626-15-9 53905-34-3 67247-13-6


RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphoryl chloride)

IT 770-12-7P


RL: PREP (Preparation)
 (preparation of, and reaction with hydroxyethyl methacrylate)

RN 770-12-7 HCAPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with acrylate derivs.)
 RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphoryl chloride)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)




L46 ANSWER 47 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1982:509179 HCAPLUS Full-text
 DOCUMENT NUMBER: 97:109179
 TITLE: Convenient one-pot syntheses of sulfinates,
 sulfinamides, and thiosulfinates by sulfinylation with
 p-toluenesulfinic acid and activating reagents
 Noguchi, Yoshihide; Isoda, Masanobu; Kuroki, Kenkichi;
 Furukawa, Mitsuru
 AUTHOR(S):
 CORPORATE SOURCE: Fac. Pharm. Sci., Kumamoto Univ., Kumamoto, 862, Japan
 SOURCE: Chemical & Pharmaceutical Bulletin (1982),
 30(5), 1646-52
 CODEN: CPBTAL; ISSN: 0009-2363
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 OTHER SOURCE(S): CASREACT 97:109179
 AB Title sulfinylations of alcs., amines, and thiols with p-MeC₆H₄SO₂H were
 carried out in the presence of various activating reagents, i.e., PhOP(O)Cl₂
 (I), (PhO)₂P(O)Cl (II), triphenylphosphine N-chlorosuccinimide, and 3-
 (phthalimidoxy)-1,2-benzoisothiazole 1,1-dioxide. All of these reagents were
 reasonably effective for O- and S-sulfinylation, but ineffective for N-

sulfinylation. Among them, the reagents I and II were slightly more efficient than the others.


CC 21-2 (General Organic Chemistry)
 ST sulfinylation alc thiol amine; alc sulfinylation
 toluenesulfinic acid; thiol sulfinylation toluenesulfinic acid; amine
 sulfinylation toluenesulfinic acid
 IT Alcohols, reactions
 Amines, reactions
 Thiols, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (sulfinylation of, with toluenesulfinic acid and activating reagents)
 IT Substitution reaction
 (sulfinylation, of alcs., thiols, and amines with
 toluenesulfinic acid and activated reagents)
 IT 770-12-7 2524-64-3 82875-94-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (activating reagent, for sulfinylation of alcs., thiols, and
 amines with toluenesulfinic acid)
 IT 82875-95-4P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation and use as activating reagent, for sulfinylation of
 alcs., thiols, and amines with toluenesulfinic acid)
 IT 536-57-2
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (sulfinylation by, of alcs., amines, and thiols)
 IT 62-53-3, reactions 64-17-5, reactions 71-36-3,
 reactions 75-33-2 75-64-9, reactions 75-65-0, reactions
 75-66-1 76-84-6 100-46-9, reactions 107-19-7
 108-93-0, reactions 108-98-5, reactions 110-89-4, reactions
 110-91-8, reactions 111-27-3, reactions 111-88-6 1569-69-3
 2216-51-5 3695-77-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (sulfinylation of, with toluenesulfinic acid and activating reagents)
 IT 770-12-7 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (activating reagent, for sulfinylation of alcs., thiols, and
 amines with toluenesulfinic acid)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 64-17-5, reactions 71-36-3, reactions 75-65-0,
 reactions 76-84-6 107-19-7 111-27-3,
 reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (sulfinylation of, with toluenesulfinic acid and activating reagents)
 RN 64-17-5 HCPLUS
 CN Ethanol (CA INDEX NAME)




RN 71-36-3 HCPLUS
 CN 1-Butanol (CA INDEX NAME)




RN 75-65-0 HCPLUS
 CN 2-Propanol, 2-methyl- (CA INDEX NAME)



RN 76-84-6 HCPLUS
 CN Benzenemethanol, α,α -diphenyl- (CA INDEX NAME)




RN 107-19-7 HCPLUS
 CN 2-Propyn-1-ol (CA INDEX NAME)



RN 111-27-3 HCPLUS

CN 1-Hexanol (CA INDEX NAME)



L46 ANSWER 48 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1982:461066 HCPLUS Full-text
 DOCUMENT NUMBER: 97:61066
 TITLE: Arylpyrophosphoric acid ester derivatives
 PATENT ASSIGNEE(S): Sankin Industry Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 6 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 57038793	A	19820303	JP 1980-114996	19800820 <--
JP 62061034	B	19871218		

PRIORITY APPLN. INFO.: JP 1980-114996 A 19800820 <--

AB Six title ester derivs., O[P(O)(OR)(OR1)]2 (I, R = aryl; R1 = CH₂CH:CH₂, CH₂CH₂O₂CCR₂:CH₂, or CH₂CHClCH₂O₂CCMe:CH₂; R2 = H or Me) were manufactured for use in repair materials in dentistry. Thus, heating a mixture of PhOH [108-95-2] 94, POC₁₃ 160, and CaCl₂ 25 g 5 h at 150° gave 204 g PhOP(O)Cl₂ [770-12-7], which was mixed as a CH₂Cl₂ solution 2 h at 0° with 120 g CH₂:CMeCO₂CH₂CH₂OH [868-77-9] and 120 g CH₅N in CH₂Cl₂ to give PhOP(O)ClOCH₂CH₂O₂CCMe:CH₂ (II) [76619-62-0]. Hydrolysis of II by stirring 2 h in cold water gave 219 g I (R = Ph, R1 = CH₂CH₂O₂CCMe:CH₂ [82504-61-8].

IC C07F009-18

CC 63-7 (Pharmaceuticals)

Section cross-reference(s): 25, 29

IT 770-12-7P

RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(preparation and esterification of, with hydroxyethyl methacrylate)

IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with phenol)

IT 108-95-2, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(reaction of, with phosphorus oxytrichloride)


IT 770-12-7P

RL: RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)


(preparation and esterification of, with hydroxyethyl methacrylate)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol)
 RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphorus oxytrichloride)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)



L46 ANSWER 49 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1980:163643 HCAPLUS Full-text
 Correction of: 1978:615707
 DOCUMENT NUMBER: 92:163643
 Correction of: 89:215707
 TITLE: Phenyl dihydrogen phosphate. Conversion of phenols
 into aryl dihydrogen phosphates
 AUTHOR(S): Chattopadhyaya, Jyoti B.; Owen, Geoffrey R.; Reese,
 Colin B.
 CORPORATE SOURCE: Dep. Chem., King's Coll., Strand/London, WC2R 2LS, UK
 SOURCE: Nucleic Acid Chem. (1978), Volume 2, 1003-5.
 Editor(s): Townsend, Leroy B.; Tipson, R. Stuart.
 Wiley: New York, N. Y.
 CODEN: 39GCA6
 DOCUMENT TYPE: Conference
 LANGUAGE: English
 AB PhOH, POCl₃ and AlCl₃ gently refluxed gave 89% PhOP(O)Cl₂. Heating this product while adding water dropwise gave 77% PhOP(O)(OH)₂ directly, thus avoiding the step of removing alkali metal which is required when alkaline hydrolysis is used.
 CC 25-10 (Noncondensed Aromatic Compounds)


IT 770-12-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and hydrolysis of)

IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol)

IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphoryl chloride)


IT 770-12-7P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and hydrolysis of)

RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenol)

RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phosphoryl chloride)


RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



TITLE: Synthesis and study of the thermal stability of silicon-containing phosphorus acid esters. 2. Thermal rearrangement of trimethylsilylmethyl ("siliconeopentyl") esters of phosphorus acids
 AUTHOR(S): Zakharov, L. S.; Drozdova, T. D.; Svoren, V. A.; Kabachnik, M. I.
 CORPORATE SOURCE: Inst. Elementoorg. Soedin., Moscow, USSR
 SOURCE: Izvestiya Akademii Nauk SSSR, Seriya Khimicheskaya (1979), (11), 2564-71
 CODEN: IASKA6; ISSN: 0002-3353
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 OTHER SOURCE(S): CASREACT 92:94481
 AB (PhO_{3-n}P(O)(OCH₂SiMe₃)_n (I, n = 1-3), Me₃CCH₂OP(O)(OCH₂SiMe₃)₂ and Me₃SiCH₂OP(O)(OCH₂CMe₃)₂ were prepared in 16-75% yields and their thermolysis at 175-200° investigated. Thus, reaction of Me₃SiCH₂OH with (PhO)_{3-n}P(O)Cl_n in presence of Et₃N gave I. In all cases studied, the Me₃SiCH₂ group rearranged to the Me₂EtSi group on thermolysis.
 CC 29-6 (Organometallic and Organometalloidal Compounds)
 IT 770-12-7 2524-64-3 10025-87-3 39846-22-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with hydroxymethyltrimethylsilane)
 IT 75-84-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with siliconeopentyl dichlorophosphate)
 IT 770-12-7 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with hydroxymethyltrimethylsilane)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 75-84-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with siliconeopentyl dichlorophosphate)
 RN 75-84-3 HCPLUS
 CN 1-Propanol, 2,2-dimethyl- (CA INDEX NAME)

Me₃C—CH₂—OH

L46 ANSWER 51 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1976:542807 HCPLUS Full-text
 DOCUMENT NUMBER: 85:142807
 ORIGINAL REFERENCE NO.: 85:22885a,22888a
 TITLE: Esters of phosphorus acids
 INVENTOR(S): Schumacher, Ignatius
 PATENT ASSIGNEE(S): Monsanto Co., USA
 SOURCE: U.S., 10 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 3965220	A	19760622	US 1974-473954	19740528 <--
CA 976181	A1	19751014	CA 1971-131543	19711231 <--
BE 777648	A1	19720703	BE 1972-112507	19720103 <--
FR 2121542	A5	19720825	FR 1972-45	19720103 <--
GB 1336531	A	19731107	GB 1972-69	19720103 <--
PRIORITY APPLN. INFO.:			US 1971-103877	A2 19710104 <--
			US 1971-156561	A2 19710624 <--

AB Reaction of POCl₃ with phenols in the presence of amine catalysts, such as PhNMe₂, Et₂NH, and pyridine, but not aniline, gave mainly aryl phosphorodichlorides. Thus, to a mixture of 225 g POCl₃ and 1.6 g PhNMe₂ was added 94 g PhOH over 2 hr at 100–6° and the mixture kept at 105–10° for 1.5 hr to give 73.5% PhOP(O)Cl₂ and 4.8% (PhO)₂P(O)Cl.

IC C07F009-08

INCL 260975000

CC 25-10 (Noncondensed Aromatic Compounds)

IT 770-12-7P 2524-64-3P 15074-54-1P 17776-78-2P
 18351-36-5P 24802-03-7P 29034-42-2P 31651-76-0P 38135-31-8P
 38135-34-1P 38330-00-6P 38637-67-1P 38637-69-3P 38637-71-7P
 38637-73-9P 52118-51-1P 60722-92-1P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phenols)


IT 80-05-7, reactions 108-46-3, reactions 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (with phosphoryl chloride)

IT 770-12-7P 2524-64-3P


RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction with phenols)
 RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME).



IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (with phosphoryl chloride)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)



L46 ANSWER 52 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1975:563756 HCPLUS Full-text
 DOCUMENT NUMBER: 83:163756
 ORIGINAL REFERENCE NO.: 83:25678h,25679a
 TITLE: Synthesis of aryl phosphates
 AUTHOR(S): Arct, Jerzy; Dul, Marian; Grejciun, Danuta; Mroz, Jerzy
 CORPORATE SOURCE: Inst. Technol. Org. Tworzyw Sztucznych, Politech.
 Wroclaw., Wroclaw, Pol.

SOURCE:

Prace Naukowe Instytutu Technologii Organicznej i
 Tworzyw Sztucznych Politechniki Wrocławskiej (1975), 17, 3-22
 CODEN: PNITAF; ISSN: 0370-0879

DOCUMENT TYPE:

Journal

LANGUAGE:

Polish

AB The effects exerted by temperature, type and amount of catalyst, quant. ratio of the reactants, and the pressure on the esterification of POCl_3 with PhOH , cresols, xylenols, $p\text{-Me}_2\text{CHC}_6\text{H}_4\text{OH}$, and $p\text{-Me}_3\text{CC}_6\text{H}_4\text{OH}$ were investigated. The synthesis of triaryl esters proceeded best when the molar ratio of POCl_3 -phenol was 1:3.1 and the reaction was carried out at $413-23^\circ\text{K}$, under a pressure of $6.7-10.7 + 103 \text{ N/m}^2$, and in the presence of 0.5% Mg as a catalyst. Maximum yields of phenyl chlorophosphates were obtained by conducting the esterification in the presence of 0.5% Mg, at $343-93^\circ\text{K}$; the optimum yield of phenyl dichlorophosphate was obtained when the molar ratio of POCl_3 -phenol was 1:0.9, and that of diphenyl chlorophosphate when the said ratio was 1:1.8.

CC 25-10 (Noncondensed Aromatic Compounds)

IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification by, of phenols, optimum conditions for)

IT 95-48-7 95-65-8 95-87-4 98-54-4 99-89-8 105-67-9 106-44-5
108-39-4 108-68-9 108-95-2, reactions 526-75-0 576-26-1

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification of, with phosphorus oxychloride, optimum conditions for)

IT 115-86-6P 770-12-7P 2524-64-3P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation of)


IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification by, of phenols, optimum conditions for)

RN 10025-87-3 HCPLUS

CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification of, with phosphorus oxychloride, optimum conditions for)


RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)




IT 770-12-7P 2524-64-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 ANSWER 53 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1974:108197 HCPLUS Full-text
 DOCUMENT NUMBER: 80:108197
 ORIGINAL REFERENCE NO.: 80:17391a,17394a
 TITLE: Esters of phosphorus acids
 INVENTOR(S): Schumacher, Ignatius; Baker, Joseph W.
 SOURCE: U.S., 7 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 3790649	A	19740205	US 1971-156487	19710624 <--

PRIORITY APPLN. INFO.: US 1971-156487 A 19710624 <--

AB Halo containing phosphorus acid esters were prepared by the reaction of PCl₃ with the corresponding phenol, thiol, or alc. in the presence of a distillation residue. Thus, reaction of POCl₃ with PhOH in the presence of N-methylpyrrolidone gave 82% of a mixture containing 90% PhOP(O)Cl₂ and 7% (PhO)₂P(O)Cl and a distillation residue containing a catalyst concentration of 10% based on N-methylpyrrolidone. The distillation residue was used as a catalyst for ester preparation

IC C07F
 INCL 260973000

CC 25-18 (Noncondensed Aromatic Compounds)

IT 770-12-7P 2524-64-3P 38637-69-3P 38637-73-9P
 52118-51-1P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

IT 10025-87-3


RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with aromatic compds.)

IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (with phosphoryl chloride)


IT 770-12-7P 2524-64-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with aromatic compds.)

RN 10025-87-3 HCPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (with phosphoryl chloride)

RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)




L46 ANSWER 54 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1974:26923 HCAPLUS Full-text
 DOCUMENT NUMBER: 80:26923
 ORIGINAL REFERENCE NO.: 80:4437a,4440a
 TITLE: Esters of phosphorus acids
 INVENTOR(S): Baker, Joseph W.; Schumacher, Ignatius
 PATENT ASSIGNEE(S): Monsanto Co.
 SOURCE: U.S., 7 pp.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 3772414	A	19731113	US 1971-156562	19710624 <--
CA 941373	A1	19740205	CA 1971-131544	19711231 <--
BE 777649	A1	19720703	BE 1972-112508	19720103 <--
FR 2121545	A1	19720825	FR 1972-49	19720103 <--
FR 2121545	A5	19720825		
FR 2121545	B1	19770715		
DE 2200089	A	19721026	DE 1972-2200089	19720103 <--
GB 1348073	A	19740313	GB 1972-65	19720103 <--
PRIORITY APPLN. INFO.:				
		US 1971-104171	A2	19710105 <--
		US 1971-103831	A	19710104 <--
		US 1971-103851	A	19710104 <--
		US 1971-103874	A	19710104 <--
		US 1971-106171	A	19710105 <--
		US 1971-156478	A	19710624 <--
		US 1971-156488	A	19710624 <--
		US 1971-156562	A	19710624 <--

AB Esters of P acids were prepared by reacting a phenol with a P chloride over a urea catalyst. Thus, POCl₃ treated with PhOH over Me₂NCONMe₂ gave 93.7% PhOP(O)Cl₂, 4.4% (PhO)₂P(O)Cl and 1.1% (PhO)₃PO.

IC C07F
 INCL 260973000
 CC 25-8 (Noncondensed Aromatic Compounds)
 IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of phosphorus chlorides with)
 IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phenols)
 IT 115-86-6P 770-12-7P 1330-78-5P 2524-64-3P
 14410-07-2P 26444-49-5P 29034-42-2P 38637-67-1P 38637-69-3P
 38637-70-6P 38637-71-7P 38637-72-8P 38637-73-9P 38638-05-0P
 39200-99-2P 39697-73-9P 50714-94-8P 50851-28-0P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of phosphorus chlorides with)
 RN 108-95-2 HCPLUS
 CN Phenol (CA INDEX NAME)




IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification of, with phenols)

RN 10025-87-3 HCPLUS

CN Phosphoric trichloride (CA INDEX NAME)




IT 770-12-7P 2524-64-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 ANSWER 55 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1973:159202 HCPLUS Full-text

DOCUMENT NUMBER: 78:159202

ORIGINAL REFERENCE NO.: 78:25559a,25562a

TITLE: Catalytic manufacture of organophosphoric acid esters

INVENTOR(S): Baker, Joseph Willard; Schumacher, Ignatius

PATENT ASSIGNEE(S): Monsanto Co.

SOURCE: Ger. Offen., 45 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2230912	A	19721228	DE 1972-2230912	19720623 <--
US 3751529	A	19730807	US 1971-156477	19710624 <--
BE 785337	A1	19721227	BE 1972-119077	19720623 <--
FR 2143400	A1	19730202	FR 1972-22845	19720623 <--
FR 2143400	B1	19771223		
GB 1355155	A	19740605	GB 1972-29580	19720623 <--
CA 957366	A1	19741105	CA 1972-145610	19720623 <--
			US 1971-156477	A 19710624 <--

PRIORITY APPLN. INFO.:

AB Aryl phosphates were prepared by treating a phenol with POCl_3 and a carbamate ester catalyst. Thus, PhOH , POCl_3 , and PhNHCO_2Et gave a mixture of $\text{C}_2\text{H}_5\text{PO}_2\text{Ph}$, $\text{C}_2\text{H}_5\text{PO}(\text{O})\text{OPh}_2$, and $(\text{PhO})_3\text{PO}$; cresol with POCl_3 in presence of EtNHCO_2Et gave $\text{C}_2\text{H}_5\text{PO}(\text{O})\text{OC}_6\text{H}_4\text{Me}$, and addition of cresol to the mixture gave, successively, the di and triesters.

IC C07F

CC 25-10 (Noncondensed Aromatic Compounds)

IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification by, of phenols in presence of carbamates)

IT 108-95-2, reactions 1319-77-3 25154-52-3 25168-06-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification of, by phosphoryl chloride in presence of carbamate)

IT 115-86-6P 770-12-7P 1330-78-5P 2524-64-3P

29034-42-2P 38637-67-1P 38637-70-6P 38637-71-7P 39697-73-9P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(esterification by, of phenols in presence of carbamates)

RN 10025-87-3 HCPLUS

CN Phosphoric trichloride (CA INDEX NAME)




IT 108-95-2, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)


(esterification of, by phosphoryl chloride in presence of carbamate)

RN 108-95-2 HCPLUS


CN Phenol (CA INDEX NAME)



IT 770-12-7P 2524-64-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 . ANSWER 56 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1973:124274 HCPLUS Full-text
 DOCUMENT NUMBER: 78:124274
 ORIGINAL REFERENCE NO.: 78:19959a,19962a
 TITLE: Catalytic manufacture of organophosphoric acid esters
 INVENTOR(S): Baker, Joseph Willard; Schumacher, Ignatius
 PATENT ASSIGNEE(S): Monsanto Co.
 SOURCE: Ger. Offen., 44 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2230913	A	19721228	DE 1972-2230913	19720623 <--
US 3773866	A	19731120	US 1971-156563	19710624 <--
BE 785336	A1	19721227	BE 1972-119076	19720623 <--
FR 2143402	A1	19730202	FR 1972-22848	19720623 <--
FR 2143402	B1	19771230		
CA 957367	A1	19741105	CA 1972-145611	19720623 <--
GB 1355297	A	19740605	GB 1972-29581	19720628 <--
PRIORITY APPLN. INFO.:			US 1971-156563	A 19710624 <--

AB Chlorinated P acid aryl esters were prepared by reacting POCl₃ with phenols or aromatic thiols at apprx. 100-20° in the presence of an ammonium salt. Thus, 153.4 g POCl₃ heated 1 hr at 105°, then 2 hr at 115°, with 94 g PhOH in the presence of 2.6 g (NH₄)₂SO₄ gave 64.7 PhOP (O) Cl₂ and 22.5% (PhO)₂P(O)Cl.

IC C07F

CC 25-10 (Noncondensed Aromatic Compounds)
 Section cross-reference(s): 26

IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phenols)


IT 90-15-3 95-57-8 98-54-4 108-46-3, reactions 108-95-2,
 reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phosphoryl chloride)

IT 770-12-7P 2524-64-3P 15074-54-1P 18351-36-5P
 31651-76-0P 41240-73-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phenols)

RN 10025-87-3 HCPLUS


CN Phosphoric trichloride (CA INDEX NAME)



IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (esterification of, with phosphoryl chloride)

RN 108-95-2 HCPLUS


CN Phenol (CA INDEX NAME)



IT 770-12-7P 2524-64-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)


RN 770-12-7 HCPLUS

CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS

CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



L46 ANSWER 57 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1973:29423 HCPLUS Full-text
 DOCUMENT NUMBER: 78:29423
 ORIGINAL REFERENCE NO.: 78:4635a, 4638a
 TITLE: Organophosphoric acid esters
 INVENTOR(S): Schumacher, Ignatius; Baker, Joseph Willard
 PATENT ASSIGNEE(S): Monsanto Co.
 SOURCE: Ger. Offen., 63 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 2
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2200089	A	19721026	DE 1972-2200089	19720103 <--
US 3772414	A	19731113	US 1971-156562	19710624 <--
PRIORITY APPLN. INFO.:				
			US 1971-103851	A 19710104 <--
			US 1971-103874	A 19710104 <--
			US 1971-104171	A 19710105 <--
			US 1971-156478	A 19710624 <--
			US 1971-156488	A 19710624 <--
			US 1971-156562	A 19710624 <--

AB Cl₃PO, Cl₃PS, MeP(S)Cl₂, and ClCH₂P(O)Cl₂ were reacted with phenols during 1-10 hr at 103-210° in the presence of amide catalysts, e.g.; AcNHPh, MeCONH₂, pyrrolidone, PhP(O)(NMe₂)₂, (H₂N)₃PO, to obtain the following esters: Cl₂P(O)OR, ClP(O)(OR)₂, (RO)₃PO, MeP(S)Cl(OR), Cl₂P(S)OR, ClCH₂P(O)Cl(OR) [R = Ph, MeC₆H₄, Me₂C₆H₃, cumenyl, Me(CH₂)₈C₆H₄]. About 18 esters were prepared

IC C07F

CC 25-10 (Noncondensed Aromatic Compounds)

IT 115-86-6P 770-12-7P 2524-64-3P 14410-07-2P

21186-90-3P 25586-42-9P 26444-49-5P 29034-42-2P 34364-42-6P

38637-67-1P 38637-69-3P 38637-71-7P 38637-73-9P 38638-05-0P

39200-99-2P 39529-84-5P 39529-87-8P 39697-73-9P

RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of).

IT 10025-87-3

RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenols in presence of amides)

IT 108-95-2, reactions


RL: RCT (Reactant); RACT (Reactant or reagent)
 (with phosphoryl chloride in presence of amides)

IT 770-12-7P 2524-64-3P


RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)

RN 770-12-7 HCPLUS


CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCAPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with phenols in presence of amides)
 RN 10025-87-3 HCAPLUS
 CN Phosphoric trichloride (CA INDEX NAME)



IT 108-95-2, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (with phosphoryl chloride in presence of amides)
 RN 108-95-2 HCAPLUS
 CN Phenol (CA INDEX NAME)



L46 ANSWER 58 OF 59 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1972:514033 HCAPLUS Full-text
 DOCUMENT NUMBER: 77:114033
 ORIGINAL REFERENCE NO.: 77:18784h,18785a
 TITLE: Aryl phosphorodichlorides and diaryl
 phosphorochloridates
 INVENTOR(S): Schumacher, Ignatius
 PATENT ASSIGNEE(S): Monsanto Co.

SOURCE: Ger. Offen., 41 pp.

CODEN: GWXXBX

DOCUMENT TYPE: Patent

LANGUAGE: German

FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2200137	A	19720727	DE 1972-2200137	19720103 <--
CA 976181	A1	19751014	CA 1971-131543	19711231 <--
BE 777648	A1	19720703	BE 1972-112507	19720103 <--
FR 2121542	A5	19720825	FR 1972-45	19720103 <--
GB 1336531	A	19731107	GB 1972-69	19720103 <--
PRIORITY APPLN. INFO.:			US 1971-103877	A 19710104 <--
			US 1971-156561	A 19710624 <--

AB Seventeen title compds., ROP(O)Cl₂ (I) and RO(R₁O)P(O)Cl (II, e.g., R = Ph, p-Me₃CC₆H₄, o-ClC₆H₄, α-naphthyl, MeC₆H₄; R₁ = Ph, p-Me₃CC₆H₄, o-ClC₆H₄, α-naphthyl, MeC₆H₄, nonylphenyl, Me₂CHC₆H₄C₆H₄) were prepared in high yields without side reactions and impurities by reaction of POCl₃ with R₁OH and (or) ROH in the presence of an amine catalyst. Thus, p-Me₃CC₆H₄OH was added over 2 hr to POCl₃ and pyridine at 100° and the mixture heated 2 hr at 110° to give 94.3% I (R = p-Me₃CC₆H₄) and 2.5% II (R = R₁ = p-Me₃C-C₆H₄).

IC C07F

CC 25-10 (Noncondensed Aromatic Compounds)

IT 80-05-7, reactions 90-15-3 95-57-8 98-54-4 108-46-3, reactions
108-95-2, reactions 1319-77-3 25154-52-3 27576-86-9RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification of, with phosphoryl chloride, catalysts for)

IT 10025-87-3


RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification with, of phenols, catalysts for)IT 770-12-7P 2524-64-3P 15074-54-1P 17776-78-2P
18351-36-5P 24802-03-7P 29034-42-2P 31651-76-0P 38135-31-8P
38135-34-1P 38330-00-6P 38637-67-1P 38637-69-3P 38637-70-6P
38637-71-7P 38637-72-8P 38637-73-9PRL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)

IT 108-95-2, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification of, with phosphoryl chloride, catalysts for)

RN 108-95-2 HCPLUS

CN Phenol (CA INDEX NAME)




IT 10025-87-3


RL: RCT (Reactant); RACT (Reactant or reagent)
(esterification with, of phenols, catalysts for)

RN 10025-87-3 HCPLUS


CN Phosphoric trichloride (CA INDEX NAME)



IT 770-12-7P 2524-64-3P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)




RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)




L46 ANSWER 59 OF 59 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1972:99026 HCPLUS Full-text
 DOCUMENT NUMBER: 76:99026
 ORIGINAL REFERENCE NO.: 76:15935a,15938a
 TITLE: Catalytic phosphorylation of polyfluorinated alcohols. 1. Preparation of tripolyfluoroalkyl- and arylpolyfluoroalkyl phosphates
 AUTHOR(S): Zakharov, L. S.; Pisarenko, V. V.; Godovikov, N. N.; Kabachnik, M. I.
 CORPORATE SOURCE: Inst. Elementoorg. Soedin., Moscow, USSR
 SOURCE: Izvestiya Akademii Nauk SSSR, Seriya Khimicheskaya (1971), (11), 2503-9
 CODEN: IASKA6; ISSN: 0002-3353
 DOCUMENT TYPE: Journal
 LANGUAGE: Russian
 AB POC13 and RONa in Et2O gave in 1 hr 60% OP(OCH₂CF₂CF₃)₃ and 48% OP(OCH₂CF₂CF₂CF₃)₃. Since such esters are not cleaved by dry HCl in several hr at elevated temps., tests on the catalytic effect of metallic salts for direct synthesis of such esters from ROH and POC13 were feasible and many such salts proved effective. With 3.4-6 moles ROH per mole of POC13 and heating the mixture 3-15 hr in the presence of 0.08 mole per mole of POC13 the following were effective catalysts: KCl, MgCl₂ (or metallic Mg for reaction in situ), Mg(OH)Cl, MgSO₄, CaCl₂, AlCl₃ (less effective than Mg salts) or

powdered Al (even less effective), ZnCl₂, NH₄Cl, Et₄NCl, Et₃N.HCl (equal to AlCl₃). This method was used for preparation of OP(OR)₃ with R = CH₂CF₂CF₂CF₃, CH₂CF₃, CH₂CH₂CF₃, CH₂CF₂CF₃, CH₂CF₂CF₂CF₂CHF₂. The ROH above and 0.3 mole PhOPOCl₂ or its analogs with various aryl groups heated in the presence of Mg or other catalysts above several hrs at 130-45° until HCl evolution had ceased, gave mixed aryl (or diaryl) fluoroalkyl phosphates, with Ph or m-C₆H₄ aryl groups and R selected from above lists.

CC 23 (Aliphatic Compounds)
 ST ester phosphate aliph fluoro; phosphorylation aliph fluoro alc
 IT Phosphorylation catalysts
 (metal salts, for aliphatic fluoro alc.)
 IT Alcohols, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (phosphorylation of fluoro aliphatic)
 IT 56-34-8 554-68-7 7446-70-0, uses and miscellaneous 7447-40-7,
 properties 7487-88-9, uses and miscellaneous 7646-85-7, uses and
 miscellaneous 7786-30-3, uses and miscellaneous 10043-52-4, uses and
 miscellaneous 12125-02-9, uses and miscellaneous 13759-24-5
 RL: CAT (Catalyst use); USES (Uses)
 (catalysts, for phosphorylation of aliphatic fluoro alc.)
 IT 10025-87-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with aliphatic fluoro alc., catalysts for)
 IT 770-12-7 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with heptafluorobutanol and trifluoropropanol)
 IT 770-12-7 2524-64-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (reaction of, with heptafluorobutanol and trifluoropropanol)
 RN 770-12-7 HCPLUS
 CN Phosphorodichloridic acid, phenyl ester (CA INDEX NAME)



RN 2524-64-3 HCPLUS
 CN Phosphorochloridic acid, diphenyl ester (CA INDEX NAME)



=> d his nofil

(FILE 'HOME' ENTERED AT 10:28:18 ON 20 NOV 2007)

FILE 'CAPLUS' ENTERED AT 10:28:29 ON 20 NOV 2007

E US2007-582916/APPS
E EP2003-78364/APPS

L1 1 SEA ABB=ON PLU=ON (EP2003-78364/AP OR EP2003-78364/PRN)

E WO2004-EP52615/APPS

L2 1 SEA ABB=ON PLU=ON (WO2004-EP52615/AP OR WO2004-EP52615/PRN)

L3 1 SEA ABB=ON PLU=ON L1 OR L2

SEL RN

FILE 'REGISTRY' ENTERED AT 10:29:39 ON 20 NOV 2007

L4 16 SEA ABB=ON PLU=ON (104-76-7/BI OR 108-95-2/BI OR 115-86-6/BI
OR 1241-94-7/BI OR 16368-97-1/BI OR 2524-64-3/BI OR 25339-17-7/
BI OR 29761-21-5/BI OR 51363-64-5/BI OR 55053-61-7/BI OR
72512-96-0/BI OR 7647-01-0/BI OR 770-12-7/BI OR 7786-30-3/BI
OR 838-85-7/BI OR 850415-34-8/BI)

L5 2 SEA ABB=ON PLU=ON L4 AND P/ELS AND CL/ELS

D SCA

D 1-2

FILE 'CAPLUS' ENTERED AT 10:30:44 ON 20 NOV 2007

L6 1 SEA ABB=ON PLU=ON L4 AND L3
D IALL HITSTR

FILE 'REGISTRY' ENTERED AT 10:41:25 ON 20 NOV 2007

D L5 1-2

L7 1 SEA ABB=ON PLU=ON L5 AND NR>1

L8 1 SEA ABB=ON PLU=ON L5 NOT L7
SEL RN L7

FILE 'CAPLUS' ENTERED AT 10:42:30 ON 20 NOV 2007

L9 1121 SEA ABB=ON PLU=ON L7(L)RACT+NT/RL

L10 491 SEA ABB=ON PLU=ON L8(L)RACT+NT/RL

L11 69 SEA ABB=ON PLU=ON L9 AND L10

E LEWIS ACIDS+ALL/CT

L12 4334 SEA ABB=ON PLU=ON LEWIS ACIDS+PFT/CT(L)CAT+NT/RL

L13 6912 SEA ABB=ON PLU=ON LEWIS ACIDS+PFT/CT

L14 1 SEA ABB=ON PLU=ON L11 AND L12

L15 1 SEA ABB=ON PLU=ON L11 AND L13

L16 4 SEA ABB=ON PLU=ON L11 AND LEWIS?

D KWIC

D KWIC 3

FILE 'HCAPLUS' ENTERED AT 10:44:39 ON 20 NOV 2007

L17 226154 SEA ABB=ON PLU=ON ALCOHOLS+PFT,NT1/CT(L)RACT+NT/RL

L18 23 SEA ABB=ON PLU=ON L17 AND L11

L19 1 SEA ABB=ON PLU=ON L16 AND L18

L20 26 SEA ABB=ON PLU=ON L16 OR L18

L21 11 SEA ABB=ON PLU=ON L11 AND ?ALCOHOL?

L22 28 SEA ABB=ON PLU=ON L20 OR L21

FILE 'REGISTRY' ENTERED AT 10:46:08 ON 20 NOV 2007

L23 1 SEA ABB=ON PLU=ON PHENOL/CN

E CL3OP/MF

L24 12 SEA ABB=ON PLU=ON CL3OP/MF

FILE 'CAPLUS' ENTERED AT 10:46:55 ON 20 NOV 2007

FILE 'REGISTRY' ENTERED AT 10:47:02 ON 20 NOV 2007

E C6H6O/CN

E C6H6O/MF

L25 210 SEA ABB=ON PLU=ON C6H6O/MF
 L26 73 SEA ABB=ON PLU=ON L25 AND C6/ES
 SEL RN L24
 SEL RN L26

FILE 'CPLUS' ENTERED AT 10:48:12 ON 20 NOV 2007
 L27 4179 SEA ABB=ON PLU=ON L24 (L) RACT+NT/RL
 L28 21759 SEA ABB=ON PLU=ON L26 (L) RACT+NT/RL
 L29 253 SEA ABB=ON PLU=ON L27 AND L28

FILE 'REGISTRY' ENTERED AT 10:49:37 ON 20 NOV 2007
 E C6H5O2CL2/MF
 E C6H5CL2O2P/MF
 L30 4 SEA ABB=ON PLU=ON C6H5CL2O2P/MF
 L31 2 SEA ABB=ON PLU=ON L30 AND C6/ES
 D SCA

FILE 'CPLUS' ENTERED AT 10:50:54 ON 20 NOV 2007
 L32 111 SEA ABB=ON PLU=ON L31 (L) PREP+NT/RL
 L33 33 SEA ABB=ON PLU=ON L32 AND L29

FILE 'REGISTRY' ENTERED AT 10:51:47 ON 20 NOV 2007
 E C12H10CLO2P/MF

FILE 'CPLUS' ENTERED AT 10:51:47 ON 20 NOV 2007

FILE 'REGISTRY' ENTERED AT 10:51:52 ON 20 NOV 2007
 E C12H10CLO2P/MF

L34 8 SEA ABB=ON PLU=ON C12H10CLO2P/MF
 L35 0 SEA ABB=ON PLU=ON L34 AND 2 C6/E
 L36 8 SEA ABB=ON PLU=ON L34 AND 2 C6/ES
 E C12H10CLO3P/MF
 L37 3 SEA ABB=ON PLU=ON C12H10CLO3P/MF
 D SCA
 L38 1 SEA ABB=ON PLU=ON L37 AND 2 C6/ES

FILE 'CPLUS' ENTERED AT 10:53:22 ON 20 NOV 2007
 L39 111 SEA ABB=ON PLU=ON L31 (L) PREP+NT/RL
 L40 122 SEA ABB=ON PLU=ON L38 (L) PREP+NT/RL
 L41 199 SEA ABB=ON PLU=ON L39 OR L40
 L42 41 SEA ABB=ON PLU=ON L41 AND L29

FILE 'HCPLUS' ENTERED AT 10:55:14 ON 20 NOV 2007
 L43 2 SEA ABB=ON PLU=ON L22 AND L42
 L44 67 SEA ABB=ON PLU=ON L22 OR L42
 L45 65 SEA ABB=ON PLU=ON L44 NOT L43
 L46 59 SEA ABB=ON PLU=ON L45 AND (PY<2004 OR PRY<2004 OR AY<2004)
 D COST

FILE 'HCPLUS' ENTERED AT 10:56:46 ON 20 NOV 2007
 D QUE L43
 D L43 IBIB ABS HITIND HITSTR TOT
 D QUE L46
 D L46 IBIB ABS HITIND HITSTR TOT